

LIDAR BIBLIOGRAPHY

Based on: Grant, W. B., Lidar for atmospheric and hydrospheric studies, in *Tunable Laser Applications*, edited by F. J. Duarte, Marcel Dekker, New York, 1995, Chapter 7.

CONTENTS

1. HISTORICAL AND REVIEWS
2. AEROSOLS AND THEIR IMPACTS
3. STRATOPHERIC AEROSOLS
4. OZONE EFFECTS
5. LIDAR MEASUREMENTS OF AEROSOLS: PRIMARY STRATOPHERIC
6. TROPOSPHERIC AEROSOLS AND OZONE LIDAR SYSTEMS
7. AEROSOL MEASUREMENTS
8. CIRRUS CLOUD MEASUREMENTS
9. POLLUTION LAYERS
10. STRATOPHERIC AEROSOL MEASUREMENTS
11. FLOURESCENCE LIDAR
12. AEROSOL MEASUREMENTS ASSOCIATED WITH DOPPLER WINDS LIDAR
13. MARINE BOUNDARY LAYER
14. EYE SAFE LIDAR SYSTEMS
15. COHERENT LIDAR
16. LIDAR AEROSOL DATA INVERSION
17. USE OF RAMAN SCATTERING TO DETERMINE AEROSOL EXTINCTION
18. HIGH-SPECTRAL RESOLUTION LIDAR
19. AIRBORNE LIDAR
20. MULTIWAVELENGTH LIDAR FOR AEROSOL SIZE DISTRIBUTIONS
21. SPACE-BASED LIDAR
22. POLAR STRATOSPHERIC CLOUDS
23. WATER AND ICE CLOUDS
24. MULTIPLE SCATTERING
25. MORE CLOUD LIDAR
26. CIRRUS CLOUDS

27. NOCTILUCENT CLOUDS
28. DENSITY AND TEMPERATURE LIDAR
29. LIQUID MIRRORS
30. ATOMIC FILTERS
31. DIFFERENTIAL ABSORPTION LIDAR (DIAL)
32. OZONE
33. PHOTOCHEMISTRY
34. OZONE DIAL
35. EFFECTS OF AEROSOLS ON OZONE MEASUREMENTS
36. EFFECTS OF AFTERPULSING
37. MORE STRATOSPHERIC OZONE DIAL
38. TROPOSPHERIC OZONE DIAL
39. SO₂ AND NO₂ DIAL
40. MERCURY DIAL
41. HYDROCARBONS, SO₂, AND NO₂
42. WATER VAPOR DIAL
43. DIAL FOR TEMPERATURE
44. CO₂ LASER DIAL
45. COHERENT CO₂ LASER DIAL SYSTEMS
46. OPTICAL PARAMETRIC OSCILLATOR DIAL SYSTEMS
47. RAMAN-SHIFTED LASER LIDAR
48. RAMAN LIDAR FOR WATER VAPOR
49. RAMAN LIDAR FOR TEMPERATURE MEASUREMENTS
50. LIDAR MEASUREMENTS OF ATOMS IN THE MESOSPHERE
51. SODIUM GUIDE STAR LIDAR
52. WIND MEASUREMENTS USING AEROSOL DISTRIBUTIONS
53. DOPPLER LIDAR WIND MEASUREMENTS: CO₂ LIDAR
54. DOPPLER LIDAR WIND MEASUREMENTS: 1-2 MICRON LASERS
55. WIND MEASUREMENTS WITH INCOHERENT LIDAR
56. LIDAR FOR FLUORESCENCE FROM TERRESTRIAL VEGETATION
57. LIDAR FOR BODIES OF WATER: FLUORESCENCE AND BACKSCATTER
58. LIDAR FOR FINDING FISH SCHOOLS

1. HISTORICAL AND REVIEWS

1 Grant, W. B., ed., *Ozone Measuring Instruments for the Stratosphere*, Vol. 1 of Collected Works in Optics (Opt. Soc. Am., Wash., DC), 438 pp, 1989.

2 Middleton, W. E. K., and A. F. Spilhaus, *Meteorological Instruments*, U. Toronto

Press, Toronto, Ont., Canada, 208 pp, 1953.

3 Hulbert, E. O., Observations of a searchlight beam to an altitude of 28 kilometers, J. Opt. Soc. Am., 27, 377, 1937.

4 Fiocco, G., and L. D. Smullin, Detection of scattering layers in the upper atmosphere (60-140 km) by optical radar, Nature, 199, 1275-1276, 1963.

5 Ligda, M. G. H., Meteorological observations with a pulsed laser radar, Proc. of the 1st Conf. on Laser Technology, San Diego, Calif., U.S. Navy ONR, pp. 63-72, 1963.

6 Collis, R. T. H., and M. G. H. Ligda, Note on lidar observations of particulate matter in the stratosphere, J. Atmos. Sci. 23, 255-257, 1966.

7 Collis, R. T. H., Lidar: A new atmospheric probe, Q. J. Roy. Meteorol. Soc., 92, 220-230, 1966.

8 Schotland, R. M., Some observations of the vertical profile of water vapor by a laser optical radar, Proc. 4th Symp. on Remote Sensing of the Environment, 12-14 April 1966, U. Michigan, Ann Arbor, 273-283.

9 Leonard, D., Observation of Raman scattering from the atmosphere using a pulsed nitrogen ultraviolet laser, Nature, 216, 142-143, 1967.

10 Cooney, J., Measurements on the Raman component of laser atmospheric backscatter, Appl. Phys. Lett., 12, 40-42, 1968.

11 Collis, R. T. H., and P. B. Russell, Lidar measurements of particles and gases, in *Laser Monitoring of the Atmosphere*, Springer-Verlag, Berlin, E. D. Hinkley, ed., pp. 71-151, 1976.

12 Hinkley, E. D., ed., *Laser Monitoring of the Atmosphere*, Springer-Verlag, New York, 380 pp, 1976.

13 Carswell, A. I., Lidar measurements of the atmosphere, Can. J. Phys., 61, 378-395, 1983.

14 Grant, W. B., and R. T. Menzies, A survey of laser and selected optical systems for remote measurement of pollutant gas concentrations, J. Air Pollut. Control Assoc., 33, 187-194, 1983.

15 Killinger, D. K., and A. Mooradian, eds., *Optical and Laser Remote Sensing*, Springer-Verlag, New York, 1983.

16 Measures, R. M., *Laser Remote Sensing, Fundamentals and Applications*, J. Wiley & Sons, New York, 510 pp, 1984.

17 Grant, W. B., Laser remote sensing techniques, Ch. 8 in *Laser Spectroscopy and its Applications*, L. J. Radziemski, R. W. Solarz, and J. A. Paisner, eds., Marcel Dekker, New York, pp. 565-621, 1987.

18 Kobayashi, T., Techniques for laser remote sensing of the environment, Remote Sens.

Rev., 3, 1-56, 1987.

19 Dubinsky, R. N., Lidar moves toward the 21st century, *Lasers & Optronics*, 7(4), 92-106, April 1988.

20 Killinger, D. K., and N. Menyuk, Laser remote sensing of the atmosphere, *Science*, 235, 37-45, 1987.

21 Measures, R. M., ed., *Laser Remote Chemical Analysis*, J. Wiley & Sons, 1988.

22 Sasano, Y., Present status of the laser radar application to air pollution studies (in Japanese), *Rev. of Laser Engineering*, 17, 310-319, 1989.

23 Carswell, A. I., Lidar remote sensing of atmospheric aerosols, *Proc. SPIE*, 1312, 206-220, 1990.

24 She, C.-Y., Remote measurement of atmospheric parameters: New applications of physics with lasers, *Contemp. Phys.*, 31, 247-260, 1990.

25 Weitkamp, C., Lidar, in B. Ruck, ed., *Lasermethoden in der Strömungsmesstechnik*, AT-Fachverlag Stuttgart, 151-208, 1990.

26 Zakharov, V. M., O. K. Kostko, and S. S. Khmelevtsov, *Lidar and Investigation of Climate*, Hydrometeoizdat, St. Petersburg, Russia, 320 pp, 1990.

27 Zanzottera, Differential absorption lidar techniques in the determination of trace pollutants and physical parameters of the atmosphere, *Crit. Rev. Analyt. Chem.*, 21, 279-319, 1990.

28 Carswell, A. I., S. R. Pal, W. Steinbrecht et al., Lidar measurements of the middle atmosphere, *Can. J. Phys.*, 69, 1076-1086, 1991.

29 Carts, Y. A., Lidar proves useful in studies of the environment, *Laser Focus World*, pp. 53-66, Nov. 1991.

30 Martellucci, S., and A. N. Chester, *Optoelectronics for Environmental Science*, Plenum Press, N.Y., 1991.

31 Qui, J. and D. Lu, On lidar application for remote sensing of the atmosphere, *Adv. in Atmos. Sci.* 8, 369-378, 1991.

32 Theon, J. S., W. W. Vaughan, E. V. Browell et al., NASA's program in lidar remote sensing, *Proc. SPIE*, 1492, 2-23, 1991.

33 Chan, K. P., Recent development of compact coherent lidars (in Chinese), *Rev. Laser Engineering (Laser Soc. Japan)*, 21, 369-375, 1993.

34 Thomas, L., Lidar probing of the atmosphere, *Indian J. Radio & Space Phys.*, 20, 368-380, 1991.

35 Browell, E. V., Laser remote sensing from aircraft and spacecraft, *Proc. SPIE*, 2222, 2-11, 1994.

36 Clifford, S. F., C. Kaimal, R. J. Latatits, and R. G. Strauch, Ground-based remote

- profiling in atmospheric studies: An overview, Proc. IEEE, 82, 313-355, Mar. 1994.
- 37 Uthe, E. E., Lidar environmental observations, in *Optical Sensing for Environmental Monitoring*, SP-89, Air & Waste Management Assoc., 401-412, 1994.
- 38 Svanberg, S., Differential absorption lidar (DIAL), in *Air Monitoring Spectroscopic Techniques*, M. W. Segrist, ed., J. Wiley & Sons, N.Y., pp. 85-161, 1994.

2. AEROSOLS AND THEIR IMPACTS

- 39 Bohren, C. F., and S. B. Singham, Backscattering by nonspherical particles: A review of methods and suggested new approaches, J. Geophys. Res., 96, 5269-5277, 1991.
- 40 Turco, R., Volcanic aerosols: Chemistry, microphysics, evolution, and effects, in L. S. Walter and S. de Silva, eds., *Volcanism-Climate Interaction*, NASA Conf. Pub. 10062, NASA Headquarters, Wash., DC., 1991.
- 41 Charlson, R. J., J. Langner, H. Rodhe et al., Perturbation of the northern hemisphere radiative balance by backscattering from anthropogenic sulfate aerosols, Tellus 43AB, 152-163, 1991.
- 42 Raes, F., and R. Van Dingenen, Calibration of an aerosol dynamics model with observations of CN in the remote marine boundary layer, in N. Fukuta and P. E. Wagner, eds., *Nucleation and Atmospheric Aerosols*, A. Deepak Pub. Co., Hampton, Va., 197-200, 1992.
- 43 Hobbs, P. V., ed., *Aerosol-Cloud-Climate Interactions*, Academic Press, N.Y., 1993.
- 44 Kinne, S., O. B. Toon, and M. J. Prather, Buffering of stratospheric circulation by changing amounts of tropical ozone: A Pinatubo case study, Geophys. Res. Lett., 19, 1927-1930, 1992.
- 45 Rind, D., N. K. Balachandran, and R. Suozzo, Climate change and the middle atmosphere. Part II: The impact of volcanic aerosols, J. Climate, 5, 189-208, 1992.
- 46 Robock, A., Surface cooling due to forest fire smoke, J. Geophys. Res., 96, 20,869-20,878, 1991.
- 47 Penner, J. E., R. E. Dickinson, and C. A. O'Neill, Effects of aerosol from biomass burning on the global radiation budget, Science, 256, 1432-1433, 1992.
- 48 Charlson, R. J., S. E. Schwartz, J. M. Hales et al., Climate forcing by anthropogenic aerosols, Science, 255, 423-430, 1992.
- 49 Kiehl, J. T., and B. P. Briegleb, The relative roles of sulfate aerosols and greenhouse gases in climate forcing, Science, 260, 311-314, 1993.
- 50 Schneider, S. Detecting climatic change signals: Are there any "fingerprints"?, Science, 263, 341-347, 1994.

3. STRATOSPHERIC AEROSOLS

51 Khmelevtsov, S. S., ed., *Volcanos, Stratospheric Aerosol and Climate of the Earth*, Hydrometeoizdat, St. Petersburg, Russia, 256 pp, 1986.

52 Mass, C. F., and D. L. Portman, Major volcanic eruptions and climate: A critical evaluation, *J. Climate*, 2, 566-593, 1989.

53 Minnis, P., E. F. Harrison, L. L. Stowe et al., Radiative climate forcing by the Mount Pinatubo eruption, *Science*, 259, 1411-1415, 1993.

54 Penner, J. E., R. J. Charlson, J. M. Hales et al., Quantifying and minimizing uncertainty of climate forcing by anthropogenic aerosols, *Bull. Am. Meteorol. Soc.*, 75, 375-400, 1994.

55 Toon, O. B., P. Hamill, R. P. Turco, and J. Pinto, Condensation of HCl and HNO₃ in the winter polar stratosphere, *Geophys. Res. Lett.*, 13, 1284-1287, 1986.

56 Poole, L. R., and M. P. McCormick, Polar stratospheric clouds and the Antarctic ozone hole, *J. Geophys. Res.*, 93, 8423-8430, 1988.

57 Solomon, S., The mystery of the Antarctic ozone "hole," *Rev. Geophys.*, 26, 131-148, 1988.

4. OZONE EFFECTS

58 Hofmann, D. J., and S. Solomon, Ozone destruction through heterogeneous chemistry following the eruption of El Chichón, *J. Geophys. Res.*, 94, 5029-5041, 1989.

59 Hofmann, D. J., S. J. Oltmans, W. D. Komhyr et al., Ozone loss in the lower stratosphere over the United States in 1992-1993: Evidence for heterogeneous chemistry on the Pinatubo aerosol, *Geophys. Res. Lett.*, 21, 65-68, 1994.

60 Grant, W. B., J. Fishman, E. V. Browell et al., Observations of reduced ozone concentrations in the tropical stratosphere after the eruption of Mt. Pinatubo, *Geophys. Res. Lett.*, 19, 1109-1112, 1992.

61 Grant, W. B., E. V. Browell, J. Fishman et al., Aerosol-associated changes in tropical stratospheric ozone following the eruption of Mount Pinatubo, *J. Geophys. Res.*, 99, 8197-8211, 1994.

62 Herman, J. R., and D. Larko, Low ozone amounts during 1992-1993 from Nimbus 7 and Meteor 3 total ozone mapping spectrometers, *J. Geophys. Res.*, 99, 3483-3496, 1994.

63 Hofmann, D. J., S. J. Oltmans, J. M. Harris et al., Ozone measurements at Hilo, Hawaii following the eruption of Pinatubo, *Geophys. Res. Lett.*, 20, 1555-1558, 1993.

64 Gleason, J. F., P. K. Bhartia, J. R. Herman et al., Record low global ozone in 1992, *Science*, 260, 523-526, 1993.

5. LIDAR MEASUREMENTS OF AEROSOLS: PRIMARY STRATOSPHERIC

65 Sasano, Y. and E. V. Browell, Light scattering characteristics of various aerosol types derived from multiple wavelength lidar observations, *Appl. Opt.*, 28, 1670-1679, 1989.

66 Kavaya, M. J., and R. T. Menzies, Lidar aerosol backscatter measurements: Systematic, modeling, and calibration error considerations, *Appl. Opt.*, 24, 3444-3453, 1985.

67 Reagan, J. A., M. P. McCormick, and J. D. Spinhirne, Lidar sensing of aerosols and clouds in the troposphere and stratosphere, *Proc. IEEE*, 77, 433-488, 1989.

68 Russell, P. B., W. Viezee, R. D. Hake, and R. T. H. Collis, Lidar observations of the stratospheric aerosol: California, October 1972 to March 1974, *Q. J. R. Meteorol. Soc.* 102, 675-695, 1976.

69 Russell, P. B., and R. D. Hake, Jr., The Post-Fuego stratospheric aerosol: Lidar measurements, with radiative and thermal implications, *J. Atmos. Sci.* 34, 163-177, 1977.

70 Clemesha, B. R., and D. M. Simonich, Stratospheric dust measurements 1970-1977, *J. Geophys. Res.*, 83, 2403-2408, 1978.

71 Kent, G. S., M. P. McCormick, Remote sensing of stratospheric aerosol following the eruption of El Chichón, *Opt. News*, 14(5), 11-19, May 1988.

72 Hayashida-Amano, S., Y. Sasano, and Y. Iikura, Volcanic disturbances in the stratospheric aerosol layer over Tsukuba, Japan, observed by the National Institute for Environmental Studies Lidar from 1982 through 1986, *J. Geophys. Res.*, 96, 15,469-15,478, 1991.

73 Jäger, H., Stratospheric aerosols: Observations, trends, and effects, *J. Aerosol Sci.*, 22, Suppl. 1, S517-S520, 1991.

74 DeFoor, T. E., E. Robinson, and S. Ryan, Early lidar observations of the June 1991 Pinatubo eruption plume at Mauna Loa Observatory, Hawaii, *Geophys. Res. Lett.*, 19, 187-190, 1992.

75 McCormick, M. P., P.-H. Wang, and L. R. Poole, Stratospheric aerosols and clouds, in *Aerosol-Cloud-Climate Interactions*, P. V. Hobbs., ed., Academic Press, San Diego., Calif., 1993, 205-222.

76 Reiter, R., H. Jäger, W. Carnuth, and W. Funk, The stratospheric aerosol layer observed by lidar since October 1976. A contribution to the problem of hemispheric climate, *Arch. Met. Biokl., Ser. B.*, 27, 121-149, 1979.

- 77 Jäger, H., and D. J. Hofmann, Midlatitude lidar backscatter to mass, area, and extinction conversion model based on in situ aerosol measurements from 1980 to 1987, *Appl. Opt.*, 30, 127-138, 1991.
- 78 Parameswaran, K., K. O. Rose, B. V. Krishna Murthy et al., Comparison of aerosol extinction profiles from lidar and SAGE II data at Tropical Station, *J. Geophys. Res.*, 96, 10,861-10,866, 1991.
- 79 Thomason, L. W., and M. T. Osborn, Lidar conversion parameters derived from SAGE II extinction measurements, *Geophys. Res. Lett.*, 19, 1655-1658, 1992.
- 80 Jäger, H., The Pinatubo eruption cloud observed by lidar at Garmisch-Partenkirchen, *Geophys. Res. Lett.*, 19, 191-194, 1992.
- 81 Post, M. J., C. J. Grund, A. O. Langford, and M. H. Proffitt, Observations of the Pinatubo ejecta over Boulder, Colorado, by lidars of three different wavelengths, *Geophys. Res. Lett.*, 19, 195-198, 1992.
- 82 Brock, C. A., H. H. Jonsson, J. C. Wilson et al., Relationships between optical extinction, backscatter and aerosol surface and volume in the stratosphere following the eruption of Mt. Pinatubo, *Geophys. Res. Lett.*, 20, 2555-2558, 1993.
- 84 Sun, J.-H., J.-H. Qui, Q.-L. Xia, and J.-D. Zhang, Lidar observations of volcanic clouds after Mt. Pinatubo volcanic eruption, *Chinese Sci. Bull.*, 38, 1557-1560, 1993.
- 85 Wu, B., and D. Lu, Monitoring the evolution of 1991 Pinatubo aerosols over Beijing by combining twilight observations with lidar detection, *J. Geophys. Res.*, 98, 22,995-23,001, 1993.
- 86 Young, R. E., H. Houben, and O. B. Toon, Radiatively forced dispersion of the Mt. Pinatubo volcanic cloud and induced temperature perturbations in the stratosphere during the first few months following the eruption, *Geophys. Res. Lett.*, 21, 369-372, 1994.
- 87 Gobbi, G. P., A. Adriani, and F. Congeduti, Stratospheric aerosol mass content estimated by lidar after El Chichón eruptions, *J. Geophys. Res.*, 94, 9909-9916, 1989.
- 88 Matsui, I., and Y. Sasano, Mie lidar measurements of nocturnal urban boundary layer height and its relation to severe air pollution (in Japanese), *Environ. Sci.*, 4, 33-41, 1991.
- 89 Uchino, O., and I. Tabata, Mobile lidar for simultaneous measurements of ozone, aerosols, and temperature in the stratosphere, *Appl. Opt.*, 30, 2005-2012, 1991.
- 90 Kaufman, Y. G., S. S. Khmelevtsov, and T. E. DeFoor, Lidar measurements of stratospheric aerosols during the SAGA 3 expedition, *J. Geophys. Res.*, 98, 16,909-16,913, 1993.
- 91 Papayannis, A., H. D. Kambezidis, and D. N. Asimakopoulos, Development of a mobile three-dimensional scanning lidar system for aerosol monitoring in rural areas in Greece, *Int. J. Remote Sens.*, 15, 361-368, 1994.

- 92 Takamura, T., Y. Sasano, and T. Hayasaka, Tropospheric aerosol optical properties derived from lidar, sun photometer, and optical particle counter measurements, *Appl. Opt.*, 33, 7132-7140, 1994.
- 93 Avdyushin, S. I., G. F. Tulinov, M. S. Ivanov et al., 1. Spatial and temporal evolution of the optical thickness of the Pinatubo aerosol cloud in the northern hemisphere from a network of ship-borne and stationary lidars, *Geophys. Res. Lett.*, 20, 1963-1966, 1993.
- 93 Russell, P. B., J. M. Livingston, E. G. Dutton et al., Pinatubo and pre-Pinatubo optical-depth spectra: Mauna Loa measurements, comparisons, inferred particle size distributions, radiative effects, and relationship to lidar data, *J. Geophys. Res.*, 98, 22,969-22,985, 1993.
- 94 Burlakov, V. D., A. V. El'nikov, V. V. Zuev et al., Some results of lidar observations of the stratospheric aerosol and ozone during the post Mt. Pinatubo eruption period in Tomsk (56°N, 85°E) (in Russian), *Atmos. Okean. Opt.*, 6, 1224-1233, 1993.
- 95 Beyerle, G., and R. Neuber, The stratospheric aerosol content above Spitsbergen during winter 1991/92, *Geophys. Res. Lett.*, 21, 1291-1294, 1994.
- 96 Di Girolamo, P., M. Cacciani, A. Di Sarra et al., Lidar observations of the Pinatubo aerosol layer at Thule, Greenland, *Geophys. Res. Lett.*, 21, 1295-1298, 1994.
- 97 Neuber, R., G. Beyerle, G. Fiocco et al., Latitudinal distribution of stratospheric aerosols during the EASOE winter 1991/92, *Geophys. Res. Lett.*, 21, 1283-1286, 1994.
- 98 Rizi, V., G. Redaelli, M. Verdecchia et al., Possible nitric acid coating formation over Pinatubo aerosols inferred with a microphysical code: a case study during EASOE, *Geophys. Res. Lett.*, 21, 1435-1438, 1994.
- 99 Vaughan, G., D. P. Wareing, S. B. Jones et al., Lidar measurements of Mt. Pinatubo aerosols at Aberystwyth from August 1991 through March 1992, *Geophys. Res. Lett.*, 21, 1315-1318, 1994.
- 100 Cacciani, M., P. Di Girolamo, A. di Sarra et al., Volcanic aerosol layers observed by lidar at South Pole, September 1991 - June 1992, *Geophys. Res. Lett.*, 20, 807-810, 1993.
- 101 Hayashida, S., and Y. Sasano, Stratospheric aerosol change in the early stage of volcanic disturbance by the Pinatubo eruption observed over Tsukuba, Japan, *Geophys. Res. Lett.*, 20, 575-578, 1993.
- 102 Ivanov, A. P., F. P. Osipenko, A. P. Chaikovsky, and V. N. Shcherbakov, Optical characteristics of the stratosphere after the Mt. Pinatubo eruption as assessed from spectral polarization lidar measurements (in Russian), *Atmos. Okean. Opt.*, 6, 1234-1240, 1993.
- 103 Uchino, O., T. Nagai, T. Fujimoto et al., Observation of the Pinatubo volcanic cloud by lidar network in Japan, *J. Meteorol. Soc. Jpn.*, 71, 285-295, 1993.

- 103 Shibata, T., T. Itabe, K. Mizutani, and K. Asai, Pinatubo volcanic aerosols observed by lidar at Wakkanai, Japan, *Geophys. Res. Lett.*, 21, 197-200, 1994.
- 105 Stevens, T. D., P. A. T. Haris, Y.-C. Rau, and C. R. Philbrick, Latitudinal lidar mapping of stratospheric particle layers, *Adv. Space Res.*, 14, 193-198, 1994.
- 106 Stevens, T. D., S. Maruvada, T. J. Kane, and C. R. Philbrick, Lidar observations of Mt. Pinatubo aerosols: Effects on the global radiation budget, *Adv. Space Res.*, in press, 1994.
- 107 Nardi, B., M.-L. Chanin, A. Hauchecorne et al., 2. Morphology and dynamics of the Pinatubo aerosol layer in the Northern hemisphere as detected from a ship-borne lidar, *Geophys. Res. Lett.*, 20, 1967-1970, 1993.
- 108 Melfi, S. H., J. D. Spinhirne, S.-H. Chou, and S. P. Palm, Lidar observations of vertically organized convection in the planetary boundary layer over the ocean, *J. Clim. Appl. Meteorol.*, 24, 806-821, 1985.
- 108 D'Altorio, A., F. Masci, V. Rizi et al., Continuous lidar measurements of stratospheric aerosols and ozone after the Pinatubo eruption. Part II: The evolution of ozone profiles and of aerosol properties, *Geophys. Res. Lett.*, 20, 2869-2872, 1993.
- 109 Mills, M. J., A. O. Langford, T. J. O'Leary et al., On the relationship between stratospheric aerosols and nitrogen dioxide, *Geophys. Res. Lett.*, 20, 1187-1190, 1993.
- 110 Ansmann, A., U. Wandinger, and C. Weitkamp, One-year observations of Mount-Pinatubo aerosol with an advanced Raman lidar over Germany at 53.5° N, *Geophys. Res. Lett.*, 20, 711-714, 1993.
- 111 Sassen, K., and J. D. Horel, Polarization lidar and synoptic analyses of an unusual volcanic aerosol cloud, *J. Atmos. Sci.*, 47, 2881-2889, 1990.
- 112 Hobbs, P. V., L. F. Radke, J. H. Lyons et al., Airborne measurements of particle and gas emissions from the 1990 volcanic eruptions of Mount Redoubt, *J. Geophys. Res.*, 96, 18,735-18,752, 1991.
- 113 Barton, I. J., A. J. Prata, I. G. Watterson, and S. A. Young, Identification of the Mount Hudson volcanic cloud over SE Australia, *Geophys. Res. Lett.*, 19, 1211-1214, 1992.

6. TROPOSPHERIC AEROSOL AND OZONE LIDAR SYSTEMS

- 114 Browell, E. V., A. F. Carter, S. T. Shipley et al., NASA multipurpose airborne DIAL system and measurements of ozone and aerosol profiles, *Appl. Opt.*, 22, 522-534, 1983.
- 115 Browell, E. V., Differential absorption lidar sensing of ozone, *Proc. IEEE*, 77, 419-432, 1989.

116 Browell, E. V., Ozone and aerosol measurements with an airborne lidar system, *Opt. Photonics News*, 2(10), 8-11, 1991.

116 Uthe, E. E., Applications of surface based and airborne lidar systems for environmental monitoring, *J. Air Pollut. Control Assoc.* 33, 1149-1155, 1983.

7. AEROSOL MEASUREMENTS

118 McCormick, M. P., and T. J. Swissler, Stratospheric aerosol mass and latitudinal distribution of the El Chichón eruption cloud for October 1982, *Geophys. Res. Lett.*, 10, 877-880, 1983.

120 McElroy, J. L., Estimation of pollutant transport and concentration distributions over complex terrain of Southern California using airborne lidar, *J. Air Pollut. Control Assoc.* 37, 1046-1051, 1987.

8. CIRRUS CLOUD MEASUREMENTS

121 Ackerman, S. A., W. L. Smith, J. D. Spinhirne, and H. E. Revercomb, The 27-28 October 1986 FIRE IFO cirrus case study: Spectral properties of cirrus clouds in the 8-12 μm window, *Mon. Wea. Rev.*, 118, 2377-2388, 1990.

122 Spinhirne, J. D., and W. D. Hart, Cirrus structure and radiative parameters from airborne lidar and spectral radiometer observations: The 28 October 1986 FIRE study, *Mon. Wea. Rev.*, 118, 2329-2343, 1990.

123 Takamura, T., and Y. Sasano, Aerosol optical properties inferred from simultaneous lidar, aerosol-counter, and sunphotometer measurements, *J. Meteorol. Soc. Jpn.*, 68, 729-739, 1990.

124 Spinhirne, J. D., Lidar aerosol and cloud backscatter at 0.53, 1.06 and 1.54 μm , Paper AIAA 91-0047, presented at the 29th Aerospace Sciences Meeting, Reno, NV, Jan. 7-10, 1991, 6 pp.

125 Wielicki, B. A., J. T. Suttles, A. J. Heymsfield et al., The 27-28 October 1986 FIRE IFO cirrus case study: Comparison of radiative transfer theory with observations by satellite and aircraft, *Mon. Wea. Rev.*, 118, 2356-2376, 1990.

126 Wirth, M., G. Ehret, P. Mörl, and W. Renger, Two dimensional stratospheric aerosol distributions during EASOE, *Geophys. Res. Lett.*, 21, 1287-1290, 1994.

9. POLLUTION LAYERS

127 McElroy, J. L., and T. B. Smith, Lidar descriptions of mixing-layer thickness characteristics in a complex terrain/coastal environment, *J. Appl. Meteorol.*, 30, 585-597, 1991.

128 McElroy, J. L., and M. R. McGown, Application of airborne lidar in particulate air quality problem delineation, monitoring network design and control strategy development, *J. Air Waste Manage. Assoc.*, 42, 1186-1192, 1992.

129 McElroy, J. L., and T. B. Smith, Creation and fate of ozone layers aloft in southern California, *Atmos. Environ.*, 27A, 1917-1929, 1993.

10. STRATOSPHERIC AEROSOL MEASUREMENTS

130 Winker, D. M., and M. T. Osborn, Airborne lidar observations of the Pinatubo volcanic plume, *Geophys. Res. Lett.*, 19, 167-170, 1992a.

131 Winker, D. M., and M. T. Osborn, Preliminary analysis of observations of the Pinatubo volcanic plume with a polarization-sensitive lidar, *Geophys. Res. Lett.*, 19, 171-174, 1992b.

132 Kent, G. S., D. M. Winker, M. T. Osborn, and K. M. Skeens, A model for the separation of cloud and aerosol in SAGE II occultation data, *J. Geophys. Res.*, 98, 725-735, 1993.

133 Browell, E. V., C. F. Butler, S. Ismail et al., Airborne lidar observations in the wintertime Arctic stratosphere: Polar stratospheric clouds, *Geophys. Res. Lett.*, 17, 385-388, 1990b.

134 Toon, O. B., E. V. Browell, S. Kinne, and J. Jordan, An analysis of lidar observations of polar stratospheric clouds, *Geophys. Res. Lett.*, 17, 393-396, 1990.

135 Toon, O., E. Browell, B. Gary et al., Heterogeneous reaction probabilities, solubilities, and the physical state of cold volcanic aerosols, *Science*, 261, 1136-1140, 1993.

136 Plumb, R. A., D. W. Waugh, R. J. Atkinson et al., Intrusions into the lower stratospheric Arctic vortex during the winter of 1991-1992, *J. Geophys. Res.*, 99, 1089-1105, 1994.

137 Palm, S. P., S. H. Melfi, and D. L. Carter, New airborne scanning lidar system: Applications for atmospheric remote sensing, *Appl. Opt.*, 33, 5674-5681, 1994.

138 Ferrare, R. A., S. H. Melfi, D. N. Whiteman, and K. D. Evans, Raman lidar measurements of Pinatubo aerosols over southeastern Kansas during November-December 1991, *Geophys. Res. Lett.*, 19, 1599-1602, 1992.

11. FLUORESCENCE LIDAR

139 Uthe, E. E., Applications of surface-based and airborne lidar tracking of fluorescent tracers for atmospheric transport and diffusion studies, *J. Air Pollut. Control Assoc.*, 33, 1149-1155, 1983.

140 Uthe, E. E., W. Viezee, B. M. Morley, and J. K. Ching, Airborne lidar tracking of fluorescent tracers for atmospheric transport and diffusion studies, *Bull. Am. Meteorol. Soc.*, 66, 1255-1262, 1985.

141 Uthe, E. E., Elastic scattering, fluorescent scattering, and differential absorption lidar observations of atmospheric tracers, *Opt. Eng.*, 30, 66-71, 1991.

12. AEROSOL MEASUREMENTS ASSOCIATED WITH DOPPLER WINDS LIDAR

142 Huffaker, R. M., ed., Feasibility study of satellite-borne lidar global wind monitoring system, NOAA Tech. Memo ERL WPL-37, U.S. Gov. Print. Off., Wash., D.C., 1978.

143 Huffaker, R. M., T. R. Lawrence, M. J. Post et al., Feasibility studies for a global wind measuring satellite system (Windsat): Analysis of simulated performance, *Appl. Opt.*, 23, 2523-2536, 1984.

144 Post, M. J., Aerosol backscattering profiles at CO₂ wavelengths: The NOAA data base, *Appl. Opt.*, 23, 2507-2509, 1984.

145 Ancellet, G. M., R. T. Menzies, and D. M. Tratt, Atmospheric backscatter profiles at 9.2 and 10.6 μm: A comparative study, *Appl. Opt.*, 27, 4907-4912, 1988.

146 Menzies, R. T., G. M. Ancellet, D. M. Tratt et al., Altitude and seasonal characteristics of aerosol backscatter at thermal infrared wavelengths using lidar observations from coastal California, *J. Geophys. Res.*, 94, 9897-9908, 1989.

147 Tratt, D. M., and R. T. Menzies, Recent climatological trends in atmospheric aerosol backscatter derived from the Jet Propulsion Laboratory multiyear backscatter profile database, *Appl. Opt.*, 33, 424-430, 1994.

148 Clarke, A. D., and J. N. Porter, Aerosol size distribution, composition, and CO₂ backscatter at Mauna Loa Observatory, *J. Geophys. Res.*, 96, 5237-5247, 1991.

149 Menzies, R. T., D. M. Tratt, A. M. Brothers et al., Design and performance measurements of an airborne aerosol backscatter lidar, *Proc. SPIE*, 1222, 112-117, 1990

150 Menzies, R. T., and D. M. Tratt, Airborne CO₂ coherent lidar for measurements of atmospheric aerosol and cloud backscatter, *Appl. Opt.*, 33, 5698-5711, 1994.

151 Kavaya, M. J., S. W. Henderson, and R. G. Frehlich, Theory of cw lidar aerosol backscatter measurements and development of a 2.1-μm solid-state pulsed laser radar for

aerosol backscatter profiling, NASA Contractor Report 4347 for Marshall Space Flight Center, 1991, 121 pp.

152 Kavaya, M. J., and P. J. M. Suni, Continuous wave coherent laser radar: calculation of measurement location and volume, *Appl. Opt.*, 30, 2634-2642, 1991.

153 Rothermel, J., D. A. Bowdle, J. M. Vaughan et al., Calculation of aerosol backscatter from airborne continuous wave focused CO₂ Doppler lidar measurements. 1. Algorithm description, *J. Geophys. Res.*, 96, 5293-5298, 1991.

154 Rothermel, J., D. A. Bowdle, and J. M. Vaughan, Calculation of aerosol backscatter from airborne continuous wave focused CO₂ Doppler lidar measurements. 2. Algorithm performance, *J. Geophys. Res.*, 96, 5293-5298, 1991.

155 Bowdle, D. A., J. Rothermel, J. M. Vaughan et al., Aerosol backscatter measurements at 10.6 micrometers with airborne and ground-based CO₂ Doppler lidars over the Colorado High Plains. 1. Lidar intercomparison, *J. Geophys. Res.*, 96, 5327-5335, 1991.

156 Bowdle, D. A., J. Rothermel, J. M. Vaughan, and M. J. Post, Aerosol backscatter measurements at 10.6 micrometers with airborne and ground-based CO₂ Doppler lidars over the Colorado High Plains. 2. Backscatter structure, *J. Geophys. Res.*, 96, 5337-5344, 1991.

157 Gras, J. L., C. M. R. Platt, W. D. Jones et al., Southern hemisphere tropospheric aerosol backscatter measurements--implications for a laser wind system, *J. Geophys. Res.*, 96, 5357-5367, 1991.

158 Menzies, R. T., and M. J. Post, GLOBE backscatter: Climatologies and mission results, *Proc. SPIE*, 1416, 139-146, 1991.

159 Kent, G. S., and G. K. Yue, The modeling of CO₂ lidar backscatter from stratospheric aerosols, *J. Geophys. Res.*, 96, 5279-5292, 1991.

160 Post, M. J., and R. E. Cupp, CO₂ lidar backscatter profiles over Hawaii during fall 1988, *Appl. Opt.*, 31, 4590-4599, 1992.

161 Alejandro, S. B., G. G. Koenig, J. M. Vaughan, and P. H. Davies, SABLE: A South Atlantic aerosol backscatter measurement program, *Bull. Am. Meteorol. Soc.*, 71, 281-287, 1990.

13. MARINE BOUNDARY LAYER

162 Schwiesow, R. L., S. D. Mayor, V. M. Glover, and D. H. Lenschow, Intersection of a sloping aerosol layer observed by airborne lidar with a cloud-capped marine boundary layer, *J. Appl. Meteorol.*, 29, 1111-1119, 1990.

163 Betts, A. K., and R. Boers, A cloudiness transition in a marine boundary layer, *J. Atmos. Sci.*, 47, 1480-1497, 1990.

14. EYE SAFE LIDAR SYSTEMS

164 Patterson, E. M., D. W. Roberts, and G. G. Gimmestad, Initial measurements using a 1.54- μm eyesafe Raman shifted lidar, *Appl. Opt.*, 28, 4978-4981, 1989.

165 Wong, S. K., P. Mathieu, and P. Pace, High-energy hybrid Raman optical parametric amplifier eye safe laser source, *Appl. Opt.*, 33, 1686-1690, 1994.

166 Chu, Z., U. N. Singh, and T. D. Wilkerson, Multiple Stokes wavelength generation in H_2 , D_2 , and CH_4 for lidar aerosol measurements, *Appl. Opt.*, 30, 4350-4357, 1991.

167 Marshall, L. R. and A. Kaz, Eye-safe output from noncritically phase-matched parametric oscillators, *J. Opt. Soc. Am.*, B, 10, 1730-1736, 1993.

168 Spinhirne, J. D., Micro pulse lidar, *IEEE Trans. Geosci. Remote Sens.*, 31, 48-54, 1993.

169 Sugimoto, N., and I. Matsui, Design of eye-safe lidar for measuring the atmospheric boundary layer using low-power LD-pumped Nd:YLF laser, *Jpn. J. Opt.*, 21, 346-349, 1992.

170 Krichbaumer, W., H. Herrmann, E. Nagel et al., A diode-pumped Nd:YAG lidar for airborne cloud measurements, *Opt. Laser Technol.*, 25, 283-287, 1993.

171 Takeuchi, N., N. Sugimoto, H. Baba, and K. Sakurai, Random modulation cw lidar, *Appl. Opt.*, 22, 1382-1386, 1983.

172 Takeuchi, N., H. Baba, K. Sakurai, and T. Ueno, Diode-laser random modulation cw lidar, *Appl. Opt.*, 25, 63-67, 1985.

173 Abshire, J. B., and J. A. R. Rall, AlGaAs aerosol lidar - theory and measurements, Post-Deadline Paper, Topical Meeting on Optical Remote Sensing of the Atmosphere, Salt Lake City, March 8-12, 1993, spons. by the Optical Society of America, Wash., DC.

15. COHERENT LIDAR

174 Pearson, G. N., A high-pulse-repetition-frequency CO_2 Doppler lidar for atmospheric monitoring, *Rev. Sci. Instrum.*, 64, 1155-1157, 1993.

175 Frehlich, R. G., Conditions for optimal performance of monostatic coherent laser radar, *Opt. Lett.*, 15, 643-645, 1990.

16. LIDAR AEROSOL DATA INVERSION

- 176 Klett, J. D., Stable analytical inversion for processing lidar returns, *Appl. Opt.*, 20, 211-220, 1981.
- 177 Klett, J. D., Extinction boundary value algorithms for lidar inversion, *Appl. Opt.*, 25, 2462-2464, 1986.
- 178 Parameswaran, K., K. O. Rose, B. V. Krishna Murthy, Relationship between backscattering and extinction coefficients of aerosols with application to turbid atmosphere, *Appl. Opt.*, 30, 3059-3071, 1991; erratum: *Appl. Opt.*, 31, 1920, 1992.
- 179 Kovalev, V. A., Lidar measurement of the vertical aerosol extinction profiles with range-dependent backscatter-to-extinction ratios, *Appl. Opt.*, 32, 6053-6065, 1993.
- 180 Roy, G., G. Vallée, and M. Jean, Lidar-inversion technique based on total integrated backscatter calibrated curves, *Appl. Opt.*, 32, 6754-6763, 1993.
- 181 Kunz, G. J., and G. de Leeuw, Inversion of lidar signals with the slope method, *Appl. Opt.*, 32, 3249-3256, 1993.
- 182 Gutkowicz-Krusin, D., Multiangle lidar performance in the presence of horizontal inhomogeneities in atmospheric extinction and scattering, *Appl. Opt.*, 32, 3266-3272, 1993.
- 183 Kravets, L. V., On the restoration of profiles of some optical parameters of cirrus clouds using lidar techniques, Russian original in *Optika Atmos.*, 2, 188-192, 1989; English version in *Atmos. Opt.*, 2, 146-148, 1989.

17. USE OF RAMAN SCATTERING TO DETERMINE AEROSOL EXTINCTION

- 184 Ansmann, A., M. Riebesell, and C. Weitkamp, Measurement of atmospheric aerosol extinction profiles with a Raman lidar, *Opt. Lett.*, 15, 746-748, 1990.
- 185 Ansmann, A., M. Riebesell, U. Wandinger et al., Combined Raman elastic-backscatter lidar for vertical profiling of moisture, aerosol extinction, backscatter, and lidar ratio, *Appl. Phys. B*, 54, 18-28, 1992.
- 186 Ansmann, A., U. Wandinger, M. Riebesell et al., Independent measurement of extinction and backscatter profiles in cirrus clouds by using a combined Raman elastic-backscatter lidar, *Appl. Opt.*, 31, 7113-7131, 1992.
- 187 Mitev, V. M., I. V. Grigorov, and V. B. Simeonov, Lidar measurements of atmospheric aerosol extinction profiles: A comparison between two techniques--Klett inversion and pure rotational Raman scattering methods, *Appl. Opt.*, 31, 6469-6474, 1992.

- 188 Luckow, F., E. Voss, J. Zeyn, W. Lahmann, C. Weitkamp, W. Michaelis, Raman-shifted KrF laser radiation with low amplified spontaneous emission for a rotational Raman daytime-temperature lidar, *Opt. Lett.*, 19, 1049-1051, 1994.
- 189 Egert, S., A. Cohen, M. Kleiman, and N. Ben-Yosef, Instantaneous integrated Raman scattering, *Appl. Opt.*, 22, 1592-1597, 1983.
- 190 McGee, T. J., M. Gross, R. Ferrare et al., Raman DIAL measurements of stratospheric ozone in the presence of volcanic aerosols, *Geophys. Res. Lett.*, 20, 955-958, 1993.
- 191 Burka, M., P. Dao, G. Davidson et al., Elastic and Raman lidar temperature measurements from Poker Flat, Alaska during February 1992, in *Abstracts, Sixteenth International Laser Radar Conf.*, MIT, Cambridge, Ma., July 20-24, 1992, NASA Conf. Pub. 3158, pp. 333-336.

18. HIGH-SPECTRAL-RESOLUTION LIDAR

- 192 Krueger, D. A., L. M. Caldwell, R. J. Alvarez, II, and C.-Y. She, Self-consistent method for determining vertical profiles of aerosol and atmospheric properties using a high-spectral-resolution Rayleigh-Mie lidar, *J. Atmos. Ocean. Technol.*, 10, 533-545, 1993.
- 193 Shipley, S. T., D. H. Tracy, E. W. Eloranta et al., High spectral resolution lidar to measure optical scattering properties of atmospheric aerosols. 1: Theory and instrumentation, *Appl. Opt.*, 22, 3716-3724, 1983.
- 194 Grund, C. J., and E. W. Eloranta, University of Wisconsin high spectral resolution lidar, *Opt. Eng.*, 30, 6-12, 1991.
- 195 Gelbwachs, J. A., Atomic resonance filters, *IEEE J. Quant. Electron.*, 24, 1266-1277, 1988.
- 196 Alvarez, II, R. J., L. M. Caldwell, Y. H. Li et al., High-spectral resolution lidar measurement of tropospheric backscatter ratio using barium atomic blocking filters, *J. Atmos. Ocean. Technol.*, 7, 876-881, 1990.
- 197 She, C.-Y., R. J. Alvarez, II, L. M. Caldwell, and D. A. Krueger, High-spectral-resolution Rayleigh-Mie lidar measurement of vertical aerosol and atmospheric profiles, *Appl. Phys. B*, 55, 154-158, 1992.
- 198 She, C.-Y., R. J. Alvarez, II, L. M. Caldwell, and D. A. Krueger, High-spectral-resolution Rayleigh-Mie lidar measurement of aerosol and atmospheric profiles, *Opt. Lett.*, 17, 541-543, 1992.
- 199 Chen, H., C.-Y. She, P. Searcy, and E. Korevaar, Sodium-vapor dispersive Faraday

filter, *Opt. Lett.*, 18, 1019-1021, 1993.

200 Piironen, P., and E. W. Eloranta, Demonstration of a high-spectral-resolution lidar based on iodine absorption filter, *Opt. Lett.*, 19, 234-236, 1994.

201 Hooper, W. P., Aureole lidar: Instrument design, data analysis, and comparison with aircraft spectrometer measurements, *Appl. Opt.*, 32, 4019-4027, 1993.

19. AIRBORNE LIDAR

202 Browell, E. V., E. E. Danielsen, S. Ismail et al., Tropopause fold structure determined from airborne lidar and in situ measurements, *J. Geophys. Res.*, 92, 2112-2120, 1987.

203 Bougeault, P., A. Jansa Clar, B. Benech et al., Momentum budget over the Pyrénées: The PYREX experiment, *Bull. Am. Meteorol. Soc.*, 71, 806-818, 1990.

204 Leaitch, W. R., R. M. Hoff, J. I. MacPherson, Airborne and lidar measurements of aerosol and cloud particles in the troposphere over Alert, Canada in April 1986, *J. Atmos. Chem.* 9, 187-211, 1989.

205 Browell, E. V., C. F. Butler, S. A. Kooi et al., Large-scale variability of ozone and aerosols in the summertime Arctic and sub-Arctic troposphere, *J. Geophys. Res.*, 97, 16,433-16,450, 1992.

206 Andreae, M. O., E. V. Browell, M. Garstang et al., Biomass-burning emissions and associated haze layers over Amazonia, *J. Geophys. Res.*, 93, 1509-1527, 1988.

207 Brock, C. A., L. F. Radke, and P. V. Hobbs, Sulfur in particles in Arctic hazes derived from airborne in situ and lidar measurements, *J. Geophys. Res.*, 95, 22,369-22,387, 1990.

208 Browell, E. V., G. L. Gregory, R. C. Harriss, and V. W. J. H. Kirchhoff, Tropospheric ozone and aerosol distributions across the Amazon Basin, *J. Geophys. Res.*, 93, 1431-1451, 1988.

209 Browell, E. V., G. L. Gregory, R. C. Harriss, and V. W. J. H. Kirchhoff, Ozone and aerosol distributions over the Amazon Basin during the wet season, *J. Geophys. Res.*, 95, 16,887-16,901, 1990c.

210 Boers, R., S. H. Melfi, and S. P. Palm, Cold-air outbreak during GALE: Lidar observations and modeling of boundary layer dynamics, *Mon. Wea. Rev.*, 119, 1132-1150, 1991.

211 Rosen, J. M., B. A. Bodhaine, J. F. Boatman et al., Measured and calculated optical property profiles in the mixed layer and free troposphere, *J. Geophys. Res.*, 97, 12,837-12,850, 1992.

20. MULTI-WAVELENGTH LIDAR FOR AEROSOL SIZE DISTRIBUTIONS

212 Boichenko, V. L., G. P. Zenin, V. P. Kandidov et al., Four-wavelengths lidar sensing of atmospheric aerosol, *Atmos. Opt.*, 2, 66-72, 1989.

213 Flesia, C., H. J. Koelsch, P. Rairoux et al., Remote measurement of the aerosols size distribution by lidar, *J. Aerosol Sci.* 20, 1213-1216, 1989.

214 Stefanutti, L., F. Castagnoli, M. Del Guasta et al., A four-wavelength depolarization backscattering lidar for polar stratospheric cloud monitoring, *Appl. Phys. B*, 55, 13-17, 1992.

215 Zieli_ski, T., K. Korzeniewski, and L. Falkowski, Preliminary application of lidar to measurements of the marine aerosol concentration in the atmosphere over the Gulf of Gdansk at Sopot, *Oceanologia*, 33, 191-201, 1992.

216 A, Zielinski, J. Piskozub, M. Irczuk, and T. Zielinski, Investigation of marine aerosol with multifrequency lidar, *Proc. SPIE*, 1936, 213-222, 1993.

217 Beyerle, G., R. Neuber, O. Schrems et al., Multiwavelength lidar measurements of stratospheric aerosols above Spitsbergen during winter 1992/93, *Geophys. Res. Lett.*, 21, 57-60, 1994.

218 Stefanutti, L., M. Morandi, M. Del Guasta et al., Polar stratospheric cloud observations over the Antarctic continent at Dumont d'Urville, *J. Geophys. Res.*, 96, 12,975-12,987, 1991.

219 Del Guasta, M., M. Morandi, L. Stefanutti et al., Derivation of Mount Pinatubo stratospheric aerosol mean size distribution by means of a multiwavelength lidar, *Appl. Opt.*, 33, 5690-5697, 1994.

220 Stein, B., M. Del Guasta, J. Kolenda et al., Stratospheric aerosol size distributions from multispectral lidar measurements at Sodankylä, *Geophys. Res. Lett.*, 21, 1311-1314, 1994.

221 Qing, P., H. Nakane, Y. Sasano, S. Kitamura, Numerical simulation of the retrieval of aerosol size distribution from multiwavelength laser radar measurements, *Appl. Opt.*, 28, 5259-5265, 1989.

222 McKenzie, R. L., J. M. Rosen, N. T. Kjome et al., Multi-wavelength profiles of aerosol backscatter over Lauder, New Zealand, 24 November 1992, *Geophys. Res. Lett.*, 21, 789-792, 1994.

21. SPACE-BASED LIDAR

- 223 Crockett, S. K., Mechanical design of a lidar system for space applications - LITE, Proc. SPIE, 1222, 164-177, 1990.
- 224 Couch, R. H., C. W. Rowland, K. S. Ellis et al., Lidar in-space technology experiment (LITE): NASA's first in-space lidar systems for atmospheric research, Opt. Eng. 30, 88-95, 1991.
- 225 McCormick, M. P., D. M. Winker, E. V. Browell et al., Scientific investigations planned for the lidar in-space technology experiment (LITE), Bull. Am. Meteorol. Soc., 74, 205-214, 1993.
- 226 Reagan, J. A. and D. A. Zielinskie, Spaceborne lidar remote sensing techniques aided by surface returns, Opt. Eng., 30, 96-102, 1991.
- 227 Abramochkin, A. I., I. E. Penner, and V. S. Shamanaev, A lidar for subsatellite investigations of clouds, Atm. Opt., 4, 264-265, 1991.
- 228 Morancais, D., R. Sesselmann, G. Benedettimichelangeli, M. Hueber, The atmospheric lidar instrument (ATLID), Acta Astronautica, 34, 63-67, 1994.

22. POLAR STRATOSPHERIC CLOUDS

- 229 Poole, L. R., G. S. Kent, M. P. McCormick et al., Dual-polarization airborne lidar observations of polar stratospheric cloud evolution, Geophys. Res. Lett., 17, 389-392, 1990.
- 230 Collins, R. L., K. P. Bowman, and C. S. Gardner, Polar stratospheric clouds at the South Pole in 1990: Lidar observations and analysis, J. Geophys. Res., 98, 1001-1010, 1993.
- 231 Kent, G. S., L. R. Poole, M. P. McCormick et al., Optical backscatter characteristics of Arctic polar stratospheric clouds, Geophys. Res. Lett., 17, 377-380, 1990.
- 232 Krüger, B. C., Observations of polar stratospheric clouds in the Arctic winter 1989 at 79 N, Geophys. Res. Lett., 17, 365-368, 1990.
- 233 McCormick, M. P., G. S. Kent, W. H. Hunt et al., Arctic polar stratospheric cloud observations by airborne lidar, Geophys. Res. Lett., 17, 381-383, 1990.
- 234 Osborn, M. T., L. R. Poole, and P.-H. Wang, SAM II and lidar aerosol profile comparisons during AASE, Geophys. Res. Lett., 17, 401-404, 1990.
- 235 Deshler, T., A. Adriani, D. J. Hofmann, and P. Gobbi, Evidence for denitrification in the 1990 Antarctic spring stratosphere: II. Lidar and aerosol measurements, Geophys. Res. Lett., 18, 1999-2002, 1991.
- 236 Fiocco, G., D. Fuà, M. Cacciani et al., On the temperature dependence of polar stratospheric clouds, Geophys. Res. Lett., 18, 424-427, 1991.

- 237 Fiocco, G., M. Cacciani, P. Di Girolamo, and D. Fuà, Stratospheric clouds at South Pole during 1988. 1. Results of lidar observations and their relationship to temperature, *J. Geophys. Res.*, 97, 5939-5946, 1992.
- 238 Gobbi, G. P., T. Deshler, A. Adriani, and D. J. Hofmann, Evidence for denitrification in the 1990 Antarctic spring stratosphere: I. Lidar and temperature measurements, *Geophys. Res. Lett.*, 18, 1995-1998, 1991.
- 239 Gobbi, G. P., and A. Adriani, Mechanisms of formation of stratospheric clouds observed during the Antarctic late winter of 1992, *Geophys. Res. Lett.*, 20, 1427-1430, 1993.
- 240 Adriani, A., T. Deshler, G. P. Gobbi et al., Polar stratospheric clouds over McMurdo, Antarctica, during the 1991 spring: Lidar and particle counter measurements, *Geophys. Res. Lett.*, 19, 1755-1758, 1992.
- 241 Fuà, D., M. Cacciani, P. Di Girolamo et al., Stratospheric clouds at South Pole during 1988 2. Their evolution in relation to atmospheric structure and composition, *J. Geophys. Res.*, 97, 5947-5952, 1992.
- 242 Neuber, R., G. Beyerle, and O. Schrems, Lidar measurements of stratospheric aerosols, *Ber. Bunsenges. Phys. Chem.*, 96, 350-353, 1992.
- 243 Godin, S., G. Mégie, C. David et al., Airborne lidar observation of mountain-wave-induced polar stratospheric clouds during EASOE, *Geophys. Res. Lett.*, 21, 1335-1338, 1994.
- 244 Schäfer, H. J., P. Scheuch, M. Langer et al., Lidar observations of polar stratospheric clouds at Andøya, Norway, in January 1992, *Geophys. Res. Lett.*, 21, 1307-1310, 1994.
- 245 Rosen, J. M., N. T. Kjome, Backscattersonde - A new instrument for atmospheric aerosol research, *Appl. Opt.*, 30, 1552-1561, 1991.
- 246 Rosen, J. M., N. T. Kjome, and S. J. Oltmans, Simultaneous ozone and polar stratospheric cloud observations at South Pole Station during winter and spring 1991, *J. Geophys. Res.*, 98, 12,741-12,751, 1993.

23. WATER AND ICE CLOUDS

- 247 Ramanathan, V., R. D. Cess, E. F. Harrison et al., Cloud-radiative forcing and climate: Results from the earth radiation budget experiment, *Science*, 243, 57-63, 1989.
- 248 Sassen, K., The polarization lidar technique for cloud research: A review and current assessment, *Bull. Am. Meteorol. Soc.*, 72, 1848-1866, 1991.
- 249 Platt, C. M. R., N. L. Abshire, and G. T. McNice, Some microphysical properties of an ice cloud from lidar observations of horizontally oriented crystals, *J. Appl. Meteorol.*,

17, 1220-1224, 1978.

250 Kaul', B. V., O. Krasnov, A. L. Kuznetsov, and I. V. Samokhvalov, Polarization sounding of high-altitude aerosol formations (in Russian), *Opt. Atmos.*, 4, 394-403; English version in *Atmos. Opt.*, 4, 303-308, 1991.

251 Sassen, K., Corona-producing cirrus cloud properties derived from polarization lidar and photographic analyses, *Appl. Opt.*, 30, 3421-3428, 1991.

252 Sassen, K., H. Zhao, and G. C. Dodd, Simulated polarization diversity lidar returns from water and precipitating mixed phase clouds, *Appl. Opt.*, 31, 2914-2923, 1992.

253 Eberhard, W. L., Ice-cloud depolarization of backscatter for CO₂ and other infrared lidars, *Appl. Opt.*, 31, 6485-6490, 1992.

254 Eberhard, W. L., CO₂ lidar technique for observing characteristic drop size in water clouds, *IEEE Trans. Geosci. Remote Sens.*, 31, 56-63, 1993.

255 Eberhard, W. L., Dual-wavelength CO₂ lidar method for distinguishing ice, water, or mixed-phase clouds, *Technical Digest, Optical Remote Sensing of the Atmosphere*, Salt Lake City, Utah, March 8-12, 1993, pp. 106-109, spons. by Opt. Soc. Am., Washington, DC.

256 Hall, Jr., F. F., Ice-cloud depolarization of backscatter for CO₂ and other infrared lidars: comment, *Appl. Opt.*, 33, 1079-1080, 1994.

257 Flesia, C., A. Mugnai, Y. Emery et al., Interpretation of lidar depolarization measurements of the Pinatubo stratospheric aerosol layer during EASOE, *Geophys. Res. Lett.*, 21, 1443-1446, 1994.

258 Sassen, K., A. W. Huggins, A. B. Long et al., Investigations of a winter mountain storm in Utah. Part II: Mesoscale structure, supercooled liquid cloud development, and precipitation processes, *J. Atmos. Sci.*, 47, 1323-1350, 1990.

259 Sassen, K., and H. Zhao, Supercooled liquid water clouds in Utah winter mountain storms: Cloud-seeding implications of a remote-sensing dataset, *J. Appl. Meteorol.*, 32, 1548-1558, 1993.

260 Intrieri, J. M., G. L. Stephens, W. L. Eberhard, and T. Uttal, A method for determining cirrus cloud particle sizes using lidar and radar backscatter technique, *J. Appl. Meteorol.*, 32, 1074-1082, 1993.

24. MULTIPLE SCATTERING

261 Allen, R. J., and C. M. R. Platt, Lidar for multiple backscattering and depolarization observations, *Appl. Opt.*, 16, 3193-3199, 1977.

262 Bissonnette, L. R., and D. L. Hutt, Multiple scattering lidar, *Appl. Opt.*, 29, 5045-

5046, 1990.

263 Werner, Ch., J. Streicher, H. Herrmann, and H. G. Dahn, Multiple-scattering lidar experiments, *Opt. Eng.*, 31, 1731-1745, 1992.

264 Wiegner, M., and G. Echle, Lidar multiple scattering: Improvement of Bissonnette's paraxial approximation, *Appl. Opt.*, 32, 6789-6803, 1993.

265 Bissonnette, L. R., and D. L. Hutt, Multiple scattering aerosol lidar inversion method, *Can. J. Phys.*, 71, 39-46, 1993.

266 Qiu, J., H. Quenzel and M. Wiegner, A parameterized multiple scattering lidar equation and its inversion theory, Part one: Equation, *Chinese J. Atmos. Sci.*, 16, 229-239, 1992.

267 Qui, J., and D. Lu, A parameterized multiple scattering lidar equation and its inversion theory, Part two: Inversion theory, *Chinese J. Atmos. Sci.*, 16, 415-426, 1992.

268 Hutt, D. L., L. R. Bissonnette, and L. Durand, Multiple field of view lidar returns from atmospheric aerosols, *Appl. Opt.*, 33, 2338-2348, 1994.

269 Wandinger, U., A. Ansmann, and C. Weitkamp, Atmospheric Raman depolarization-ratio measurements, *Appl. Opt.*, 33 (24): 5671-5673, 1994 .

270 Ben-David, A., Wavelength dependence of backscattering and extinction of kaolin dust at CO₂ laser wavelengths: Effect of multiple scattering, *Appl. Opt.*, 32, 1598-1605, 1993.

271 Tonna, G., Backscattering, extinction, and liquid water content in fog: A detailed study of their relations for use in lidar systems, *Appl. Opt.*, 30, 1132-1140, 1991.

272 Spinhirne, J. D., R. Boers, and W. D. Hart, Cloud top liquid water from lidar observations of marine stratocumulus, *J. Appl. Meteorol.*, 28, 81-90, 1989.

273 Heymsfield, G. M., R. Fulton, and J. D. Spinhirne, Aircraft overflight measurements of midwest severe storms: Implications on geosynchronous satellite interpretations, *Mon. Wea. Rev.*, 119, 436-456, 1991.

25. MORE CLOUD LIDAR

274 Fischer, J., and H. Grassl, Detection of cloud-top height from reflected radiances within the oxygen A band, Part I: Theoretical studies, *J. Appl. Meteorol.*, 30, 1245-1259, 1991.

275 Fischer, J., W. Cordes, A. Schmitz-Peiffer et al., Detection of cloud-top height from reflected radiances within the oxygen A band, Part II: Measurements, *J. Appl. Meteorol.*, 30, 1260-1679, 1991.

276 Pal, S. R., W. Steinbrecht, and A. I. Carswell, Automated method for lidar

- determination of cloud base height and vertical extent, *Appl. Opt.*, 31, 1488-1494, 1992.
- 277 Del Guasta, M., M. Morandi, L. Stefanutti et al., One year of cloud lidar data from Dumont D'Urville (Antarctica). Part I: General overview of geometrical and optical properties, *J. Geophys. Res.*, 98, 18,575-18,587, 1993.
- 278 Sacco, V. M., F. Castagnoli, M Morandi, and L. Stefanutti, Elastic backscattering lidar system for atmospheric measurements in Antarctica, *Opt. Quant. Electron.*, 21, 215-226, 1989.
- 279 Ramanathan, V., E. J. Pitcher, R. C. Malone, and M. L. Blackmon, The response of a spectral general circulation model to refinements in radiative processes, *J. Atmos. Sci.*, 40, 605-630, 1983.

26. CIRRUS CLOUDS

- 280 Minnis, P., D. F. Young, K. Sassen et al., The 27-28 October 1986 FIRE IFO cirrus case study: Cirrus parameter relationships derived from satellite and lidar data, *Mon. Wea. Rev.*, 118, 2402-2425, 1990.
- 281 Minnis, P., K.-N. Liou, and Y. Takano, Inference of cirrus cloud properties using satellite-observed visible and infrared radiances. Part I: Parameterization of radiation fields, *J. Atmos. Sci.*, 50, 1279-1304, 1993.
- 282 Minnis, P., K.-N. Liou, and Y. Takano, Inference of cirrus cloud properties using satellite-observed visible and infrared radiances. Part II: Verification of theoretical cirrus radiative properties, *J. Atmos. Sci.*, 50, 1305-1322, 1993.
- 283 Flamant, P., G. Brogniez, M. Desbois et al., High altitude cloud observations by ground-based lidar, infrared radiometer and Meteosat measurements, *Ann. Geophys.*, 7, 1-10, 1989.
- 284 Sassen, K., C. J. Grund, J. D. Spinhirne et al., The 27-28 October 1986 FIRE IFO cirrus case study: A five lidar overview of cloud structure and evolution, *Mon. Wea. Rev.*, 118, 2288-2311, 1990.
- 285 Starr, D. O'C., and D. P. Wylie, The 27-28 October 1986 FIRE cirrus case study: Meteorology and clouds, *Mon. Wea. Rev.*, 118, 2259-2287, 1990.
- 286 Heymsfield, G. M., K. M. Miller, and J. D. Spinhirne, The 27-28 October FIRE IFO cirrus case study: Cloud microstructure, *Mon. Wea. Rev.*, 118, 2313-2328, 1990.
- 287 Grund, C. J., and E. W. Eloranta, The 27-28 October 1986 FIRE IFO case study: cloud optical properties determined by high-spectral resolution lidar, *Mon. Wea. Rev.*, 118, 2344-2355, 1990.
- 288 Sroga, J. T., E. W. Eloranta, S. T. Shipley et al., High spectral resolution lidar to

- measure optical scattering properties of atmospheric aerosols. 2: Calibration and analysis, *Appl. Opt.*, 22, 3725-3732, 1983.
- 289 Dolash, T., J. Garvey, J. Leonelli et al., Development and demonstration of a high altitude atmospheric backscatter lidar system, in *Optical Sensing for Environmental Monitoring*, SP-89, Air & Waste Management Assoc., 75-82, 1994.
- 290 Sassen, K., Evidence for liquid-phase cirrus cloud formation from volcanic aerosols: Climatic implications, *Science*, 257, 516-519, 1992.
- 291 Del Guasta, M., M. Morandi, L. Stefanutti et al., Multiwavelength lidar observations of thin cirrus at the base of the Pinatubo stratospheric layer during the EASOE campaign, *Geophys. Res. Lett.*, 21, 1339-1342, 1994.
- 292 Jensen, E. J., and O. B. Toon, The potential effects of volcanic aerosols on cirrus cloud microphysics, *J. Geophys. Res.*, 19, 1759-1762, 1992.
- 293 Sassen, K., and B. S. Cho, Subvisual-thin cirrus lidar dataset for satellite verification and climatological research, *J. Appl. Meteorol.*, 31, 1275-1285, 1992.
- 294 Winker, D. M., and M. A. Vaughan, Vertical distribution of clouds over Hampton, Virginia observed by lidar under the ECLIPS and FIRE ETO programs, *Atmos. Res.*, 34, 117-133, 1994.
- 295 Jensen, E. J., O. B. Toon, D. L. Westphal et al., Microphysical modeling of cirrus 1. Comparison with 1986 FIRE IFO measurements, *J. Geophys. Res.*, 99, 10,421-10,442, 1994.
- 296 Ansmann, A., J. Bösenberg, G. Brogniez et al., Lidar network observations of cirrus morphological and scattering properties during the International Cirrus Experiment 1989: The 18 October 1989 case study and statistical analysis, *J. Appl. Meteorol.*, 32, 1608-1622, 1993.
- 297 Ansmann, A., J. Bösenberg, Brogniez et al., Lidar network observations of cirrus morphological and scattering properties during the International Cirrus Experiment 1989: The 18 October 1989 case study and statistical analysis, *J. Appl. Meteorol.*, 32, 1608-1622, 1993.
- 298 Gayet, J.-F., G. Febvre, G. Brogniez, and P. Moerl, Microphysical characteristics of a marine stratiform cloud obtained from lidar and in sit measurements, *Atmos. Res.*, 34, 99-115, 1994.
- 299 Ackerman, S. A., E. W. Eloranta, C. J. Grund et al., University of Wisconsin cirrus remote sensing pilot experiment, *Bull. Amer. Meteor. Soc.*, 74, 1041-1049, 1993.
- 300 Carswell, A. I., A. Fong, S. R. Pal, and I. Pribluda, Lidar-derived distribution of cloud vertical location and extent, *J. Appl. Meteorol.*, in press, 1994.
- 301 Platt, C. M. R., S. A. Young, A. Carswell et al., The Experimental Cloud Lidar Pilot

Study (ECLIPS) for cloud radiation applications, *Bull. Am. Meteorol. Soc.*, 75, 1635-1654, 1994.

302 Febvre, G., Lidar data inversion for cirrus clouds: An approach based on a statistical analysis of in situ microphysical measurements, *J. Atmos. Ocean. Technol.*, 11, 1231-1241, 1994.

27. NOCTILUCENT CLOUDS

303 Thomas, G. E., Mesospheric clouds and the physics of the mesopause region, *Rev. Geophys.*, 29, 553-575, 1991.

304 Hansen, G., M. Serwazi, and U. von Zahn, First detection of a noctilucent cloud by lidar, *Geophys. Res. Lett.*, 16, 1445-1448, 1989.

305 Meriwether, J. W., R. Farley, R. McNutt et al., Application of the Rayleigh lidar to observations of noctilucent clouds, *J. Geophys. Res.*, 98, 14,979-14,989, 1993.

306 Thomas, L., K. P. Marsh, D. P. Wareing, and M. A. Hassan, Lidar observations of ice crystals associated with noctilucent clouds at middle latitudes, *Geophys. Res. Lett.*, 21, 385-388, 1994.

307 Hansen, G., and U. von Zahn, Simultaneous observations of noctilucent clouds and mesopause temperatures by lidar, *J. Geophys. Res.*, 99, 18,989-18,999, 1994.

308 Post, M. J., T. Glaes, J. Matta et al., A lidar technique to quantify surface deposition from atmospheric releases of bulk liquids, *Atmos. Environ.*, 28, 257-264, 1994.

28. DENSITY AND TEMPERATURE LIDAR

309 Hauchecorne, A., and M. L. Chanin, Density and temperature profiles obtained by lidar between 35 and 70 km, *Geophys. Res. Lett.*, 7, 565-568, 1980.

310 Chanin, M. L., and A. Hauchecorne, Lidar observation of gravity and tidal waves in the stratosphere and mesosphere, *J. Geophys. Res.*, 86, 9715-9721, 1981.

311 Hauchecorne, A., M. L. Chanin, P. Keckhut, and D. Nedeljkovic, Lidar monitoring of the temperature in the middle and lower atmosphere, *Appl. Phys. B*, 55, 29-34, 1992.

312 Keckhut, P., A. Hauchecorne, and M. L. Chanin, A critical review of the data base acquired for the long term surveillance of the middle atmosphere by the French Rayleigh lidars, *J. Atmos. Ocean. Tech.*, 10, 850-867, 1993.

313 Adriani, A., G. P. Gobbi, F. Congeduti, and G. Di Donfrancesco, Lidar observations of stratospheric and mesospheric temperature: November 1988--November 1989, *Ann. Geophys.*, 9, 252-258, 1991.

- 314 Chanin, M. L., and A. Hauchecorne, Lidar study of the structure and dynamics of the middle atmosphere, *Indian J. Radio Spa. Sci.*, 20, 1-11, 1991.
- 315 Gille, S. T., A. Hauchecorne, and M.-L. Chanin, Semidiurnal and diurnal tidal effects in the middle atmosphere as seen by Rayleigh lidar, *J. Geophys. Res.*, 96, 7579-7587, 1991.
- 316 Hauchecorne, A., M. L. Chanin, and P. Keckhut, Climatology and trends of the middle atmospheric temperature (33-87 km) as seen by Rayleigh lidar over the south of France, *J. Geophys. Res.*, 96, 15,297-15,309, 1991.
- 317 Philbrick, C. R., Lidar profiles of atmospheric structure properties, *Proc. SPIE*, 1492, 76-84, 1991.
- 318 Tepley, C. A., S. I. Sargoytchev, and C. O. Hines, Initial Doppler Rayleigh lidar results from Arecibo, *Geophys. Res. Lett.*, 18, 167-170, 1991.
- 319 Wilson, R., M. L. Chanin, and A. Hauchecorne, Gravity waves in the middle atmosphere observed by Rayleigh lidar. 1. Case studies, *J. Geophys. Res.*, 96, 5153-5167, 1991a.
- 320 Wilson, R., M. L. Chanin, and A. Hauchecorne, Gravity waves in the middle atmosphere observed by Rayleigh lidar. 2. Climatology, *J. Geophys. Res.*, 96, 5169-5183, 1991b.
- 321 Philbrick, C. R., and B. Chen, Transmission of gravity waves and planetary waves in the middle atmosphere based on lidar and rocket measurements, *Adv. Space Res.*, 12, 303-306, 1992.
- 322 Meriwether, Jr., J. W., Lidar observations of atmospheric dynamics in the troposphere and lower stratosphere over Arecibo, *J. Geophys. Res.*, 98, 20,713-20,723, 1993.
- 323 Meriwether, J. W., P. D. Dao, R. McNutt et al., Rayleigh lidar observations of mesosphere temperature structure, *J. Geophys. Res.*, in press, 1994.
- 324 Tsuda, T., Y. Murayama, T. Nakamura et al., Variations of the gravity wave characteristics with height, season and latitude revealed by comparative observations, *J. Atmos. Terrest. Phys.*, 56, 555-568, 1994.
- 325 Mitchell, N. J., L. Thomas, A. K. P. Marsh, Lidar studies of stratospheric gravity waves: A comparison of analysis techniques, *Ann. Geophys., Atmos., Hydrospheres*, 8, 705-7xx, 1990.
- 326 Kuo, F. S., and H. Y. Lue, Effect of the wave shear interaction on gravity wave activity in the lower and middle atmosphere, *J. Atmos. Terrest. Phys.*, 56, 1147-1155, 1994.
- 327 Meriwether, J. W., P. D. Dao, R. T. McNutt et al., Rayleigh lidar observations of

- mesosphere temperature structure, *J. Geophys. Res.*, 99, 16,973-16,987, 1994.
- 328 Mitchell, N. J., L. Thomas, and I. T. Prichard, Gravity waves in the stratosphere and troposphere observed by lidar and MST radar, *J. Atmos. Terrest. Phys.*, 56, 939-947, 1994.
- 329 Sato, K., and M. Yamada, Vertical structure of atmospheric gravity waves revealed by the wavelet analysis, *J. Geophys. Res.*, 99, 20,623-20,631, 1994.
- 330 Whiteway, J. A., and A. I. Carswell, Rayleigh lidar observations of thermal structure and gravity wave activity in the High Arctic during a stratospheric warming, *J. Atmos. Sci.*, in press, 1994.
- 331 Finger, F. G., M. E. Gelman, J. D. Wild et al., Evaluation of NMC upper-stratospheric temperature analyses using rocketsonde and lidar data, *Bull. Am. Meteorol. Soc.*, 74, 789-799, 1993.
- 332 Keckhut, P., and M. L. Chanin, Middle atmosphere response to the 27-day solar rotation as observed by lidar, *Geophys. Res. Lett.*, 19, 809-812, 1992.
- 333 Roberts, D. W., G. G. Gimmetstad, A. K. Garrison et al., Design and performance of a 100 inch lidar facility, *Opt. Eng.*, 30, 79-87, 1991.
- 334 Haris, P. A. T., T. D. Stevens, S. Maruvada, and C. R. Philbrick, Latitudinal variation of middle atmospheric density and temperature, *Adv. Space Res.*, 14, 83-87, 1994.
- 335 Hauchecorne, A., N. Gonzalez, C. Souprayen et al., Gravity-wave activity and its relation with prevailing winds during DYANA, *J. Atmos. Terrest. Physics*, 56, 1765-1778, 1994.
- 336 Lübken, F.-J., W. Hillert, G. Lehmacher et al., Intercomparison of density and temperature profiles obtained by lidar, ionization gauges, falling spheres, datasondes and radiosondes during the DYANA campaign, *J. Atmos. Terrest. Phys.*, 56, 1969-1984, 1994.
- 337 Lübken, F.-J., W. Hillert, G. Lehmacher et al., Morphology and sources of turbulence in the mesosphere during DYANA, *J. Atmos. Terrest. Phys.*, 56, 1809-1833, 1994.
- 338 Nakane, H., S. Hayashida, Y. Sasano et al., Vertical profiles of temperature and ozone observed during DYANA campaign with the NIES ozone lidar system at Tsukuba, *J. Geomag. Geoelectr.*, 44, 1071-1083, 1992.
- 339 Uchino, O., and T. Fujimoto, Lidar measurements of ozone and temperature in the stratosphere at Tsukuba (36.1°N, 140.1°E) during DYANA campaign, *J. Geomag. Geoelectr.*, 44, 1061-1070, 1992.
- 340 Gonzalez, N., A. Hauchecorne, S. Kirkwood et al., Intercomparison of simultaneous remote and in situ wind measurements, *J. Atmos. Terrest. Phys.*, 56, 1985-2001, 1994.

29. LIQUID MIRRORS

341 Borra, E. F., R. Content, L. Girard et al., Liquid mirrors: Optical shop tests and contributions to the technology, *Liquid mirrors: Optical shop tests and contributions to the technology*, *The Astrophysical J.*, 393, 829-847, 1992.

342 Sica, R. J., S. Sargoytchev, S. Flatt et al., Lidar measurements using large liquid mirror telescopes, *Abstracts, Sixteenth International Laser Radar Conf., NASA Conf. Pub. 3158*, 655-658, 1992.

30. ATOMIC FILTERS

343 Alvarez, II, R. J., L. M. Caldwell, P. G. Wolyn et al., Profiling temperature, pressure, and aerosol properties using a high spectral resolution lidar employing atomic blocking filters, *J. Atmos. Ocean. Technol.*, 10, 546-556, 1993.

344 Voss, E., Untersuchungen zur Temperaturfernmessung durch Analyse der Rayleigh-Streuung mit Atomdampffiltern (in German), *GKSS Report 92/E/35*, Geesthacht, Germany, 197 pp., 1992.

345 Voss, E., C. Weitkamp, and W. Michaelis, Pb vapor filters for high-spectral-resolution temperature lidar, *Appl. Opt.*, 33, 3250-3260, 1994.

31. DIFFERENTIAL ABSORPTION LIDAR (DIAL)

346 Grant, W. B., R. H. Kagann, and W. A. McClenny, Optical remote measurement of toxic gases, *J. Air Waste Manage. Assoc.*, 42, 18-30, 1992.

347 Byer, R. L., and M. Garbuny, Pollutant detection by absorption using Mie scattering and topographic targets as retroreflectors, *Appl. Opt.*, 12, 1496-1505, 1973.

348 Rothe, K. W., U. Brinkman, and H. Walter, Applications of tunable dye lasers to air pollution detection: Measurements of atmospheric NO₂ concentrations by differential absorption, *Appl. Phys.*, 3, 115-119, 1973.

349 Grant, W. B., R. D. Hake, Jr., E. M. Liston et al., Calibrated remote measurement of NO₂ using the differential-absorption backscatter technique, *Appl. Phys. Lett.*, 24, 550-552, 1974.

350 Grant, W. B., and R. D. Hake, Jr., Calibrated remote measurements of SO₂ and O₃ using atmospheric backscatter, *J. Appl. Phys.*, 46, 3019-3023, 1975.

351 Killinger, D. K., N. Menyuk, and W. B. DeFeo, Experimental comparison of heterodyne and direct detection for pulsed differential absorption CO₂ lidar, *Appl. Opt.*,

22, 682-689, 1985.

352 Meyer, P. L. and M. W. Sigrist, Atmospheric pollutant monitoring using CO₂-laser photoacoustic spectroscopy and other techniques, *Rev. Sci. Instrum.*, 61, 1779-1807, 1990.

353 Rothman, L. S., R. R. Gamache, R. H. Tipping et al., The HITRAN molecular database: Editions of 1991 and 1992, *J. Quant. Spectrosc. Radiat. Transfer*, 48, 469-507, 1992.

32. OZONE

354 Molina, L. T., and M. J. Molina, Absolute absorption cross sections of ozone in the 185- to 350-nm wavelength range, *J. Geophys. Res.*, 91, 14,501-14,508, 1986.

355 Trakhovsky, E., A. Ben-Shalom, U. P. Oppenheim et al., Contribution of oxygen to attenuation in the solar blind UV spectral region, *Appl. Opt.*, 28, 1588-1591, 1989.

356 Husson, N., B. Bonnet, A. Chédin et al., The GEISA data bank in 1993: A PC/AT compatible computers' new version, *J. Quant. Spectrosc. Radiat. Transfer*, 52, 425-438, 1994.

357 Logan, J. A., Tropospheric ozone: Seasonal behavior, trends, and anthropogenic influence, *J. Geophys. Res.*, 90, 10,463-10,482, 1985.

358 Fishman, J., C. E. Watson, J. C. Larsen, and J. A. Logan, Distribution of tropospheric ozone determined from satellite data, *J. Geophys. Res.*, 95, 3599-3617, 1990.

359 Tevini, M., ed., *UV-B Radiation and Ozone Depletion; Effects of Humans, Animals, Plants, Microorganisms, and Materials*, Lewis Pub., Boca Raton, Fla., 1993.

360 Farman, J. C., B. G. Gardiner, and J. D. Shanklin, Large Losses of Total Ozone in Antarctica Reveal Seasonal ClO_x/NO_x Interaction, *Nature* 315, 207-210, 1985.

361 Komhyr, W. D., C. L. Mateer, and R. D. Hudson, Effective Bass-Paur 1985 ozone absorption coefficients for use with Dobson ozone spectrophotometers, *J. Geophys. Res.*, 98, 20,451-20,465, 1993.

362 Browell, E. V., M. A. Fenn, C. F. Butler et al., Ozone and aerosol distributions in the summertime troposphere over Canada, *J. Geophys. Res.*, 99, 1739-1755, 1994.

363 Reid, S. J., G. Vaughan, and E. Kyro, Occurrence of ozone laminae near the boundary of the stratospheric polar vortex, *J. Geophys. Res.*, 98, 8883-8890, 1993.

364 Bachmeier, A. S., M. C. Shipham, E. V. Browell et al., Stratospheric/tropospheric exchange affecting the northern wetlands regions of Canada during summer 1990, *J. Geophys. Res.*, 99, 1793-1804, 1994.

365 Ching, J. K. S., S. T. Shipley, and E. V. Browell, Evidence for cloud venting of

mixed layer ozone and aerosols, *Atmos. Environ.*, 22, 225-242, 1988.

366 Gregory, G. L., B. E. Anderson, L. S. Warren et al., Tropospheric ozone and aerosol observations: The Alaskan Arctic, *J. Geophys. Res.*, 97, 16,451-16,471, 1992.

33. PHOTOCHEMISTRY

367 Jacob, D. I., S. C. Wofsy, P. S. Bakwin et al., Summertime photochemistry of the troposphere at high northern latitudes, *J. Geophys. Res.*, 97, 16,421-16,431, 1992.

368 Sandholm, S. T., J. D. Bradshaw, G. Chen et al., Summertime tropospheric observations related to N_xO_y distributions and partitioning over Alaska: Arctic Boundary Layer Expedition 3A, *J. Geophys. Res.*, 97, 16,481-16,509, 1992.

369 Wofsy, S. C., G. W. Sachse, G. L. Gregory et al., Atmospheric chemistry in the Arctic and subarctic: Influence of natural fires, industrial emissions, and stratospheric inputs, *J. Geophys. Res.*, 97, 16,731-16,746, 1992.

370 Shipham, M. C., A. S. Bachmeier, D. R. Cahoon, Jr. et al. A meteorological interpretation of the Arctic Boundary Layer Expedition (ABLE) 3B flight series, *J. Geophys. Res.*, 99, 1645-1657, 1994.

371 Talbot, R. W., J. D. Bradshaw, S. T. Sandholm et al., Summertime distribution and relations of reactive odd nitrogen species and NO_y in the troposphere over Canada, *J. Geophys. Res.*, 99, 1863-1885, 1994.

34. OZONE DIAL

372 Browell, E. V., C. F. Butler, S. Ismail et al., Airborne lidar observations in the wintertime Arctic stratosphere: Ozone, *Geophys. Res. Lett.*, 17, 325-328, 1990a.

373 Browell, E. V., C. F. Butler, M. A. Fenn et al., Ozone and aerosol changes observed during the 1991-92 Airborne Arctic Stratospheric Expedition, *Science*, 261, 1155-1158, 1993.

374 Ancellet, G., A. Papayannis, J. Pelon, and G. Mégie, DIAL tropospheric ozone measurement using a Nd:YAG laser and the Raman shifting technique, *J. Atmos. Ocean. Technol.*, 6, 832-839, 1989.

375 Papayannis, A., G. Ancellet, J. Pelon, and G. Mégie, Multiwavelength lidar for ozone measurements in the troposphere and the lower stratosphere, *Appl. Opt.*, 29, 467-476, 1990.

376 Haner, D. A., and I. S. McDerimid, Stimulated Raman shifting of the Nd:YAG fourth harmonic (266 nm) in H_2 , HD, and D_2 , *IEEE J Quant. Elect.*, QE-26, 1292-1298, 1990.

- 377 Ancellet, G., J. Pelon, M. Beekmann et al., Ground-based lidar studies of ozone exchanges between the stratosphere and troposphere, *J. Geophys. Res.*, 96, 22,401-22,421, 1991.
- 378 Ancellet, G., M. Beekmann, and A. Papayannis, Impact of a cutoff low development on downward transport of ozone in the troposphere, *J. Geophys. Res.*, 99, 3451-3468, 1994.
- 379 Sunesson, J. A., A. Apituley, and D. P. J. Swart, Differential absorption lidar system for routine monitoring of tropospheric ozone, *Appl. Opt.*, 33, 7045-7058, 1994.
- 380 Zhao, Y., J. N. Howell, and R. M. Hardesty, Transportable lidar for the measurement of ozone concentration and flux profiles in the lower troposphere, in *Abstracts, Sixteenth International Laser Radar Conf.*, MIT, Cambridge, Mass., July 20-24, 1992, NASA Conf. Public. 3158, pp 185-187.
- 381 Kempfer, U., W. Carnuth, R. Lotz, and T. Trickl, A wide-range ultraviolet lidar system for tropospheric ozone measurements: Development and application, *Rev. Sci. Instrum.*, 65, 3145-3164, 1994.
- 382 Pelon, J., and G. Mégie, Ozone monitoring in the troposphere and lower stratosphere: Evaluation and operation of a ground-based lidar station, *J. Geophys. Res.*, 87, 4947-4955, 1982.
- 383 Bondarenko, S. L., A. V. El'nikov, V. V. Zuev, and V. N. Marichev, Determination of the ozone concentration by lidar sounding at the wavelengths 308 and 532 nm (in Russian), *Opt. Atmos.*, 3, 752-755, English version in *Atmos. Opt.*, 3, 691-695, 1990.

35. EFFECTS OF AEROSOLS ON OZONE MEASUREMENTS

- 190 McGee, T. J., M. Gross, R. Ferrare et al., Raman DIAL measurements of stratospheric ozone in the presence of volcanic aerosols, *Geophys. Res. Lett.*, 20, 955-958, 1993.
- 384 Bondarenko, S. L., A. V. El'nikov, and V. V. Zuev, Influence of optical characteristics of aerosols on the results of the ozone lidar sounding due to correction of the initial data for aerosol (in Russian), *Opt. Atmos. Okean.*, 6, 1268-1277, 1993.
- 385 El'nikov, A. V., V. V. Zuev, V. E. Zuev, and B. S. Kostin, Aerosol correction of the results of stratospheric ozone lidar probing, *Proc. SPIE*, 2047, 138-143, 1993.
- 386 Steinbrecht, W., and A. I. Carswell, Evaluation of the effects of Mt. Pinatubo aerosol on differential absorption lidar (DIAL) measurements of stratospheric ozone, *J. Geophys. Res.*, in press.
- 387 Qiu, J., Error of DIAL-measured ozone concentration and a three-wavelength

inversion technique, *Science in China*, 23, 1381-1390, 1993.

388 Browell, E. V., S. Ismail, and S. T. Shipley, Ultraviolet DIAL measurements of O₃ profiles in regions of spatially inhomogeneous aerosols, *Appl. Opt.*, 24, 2827-2836, 1985.

389 Kovalev, V. A., and J. L. McElroy, Differential absorption lidar measurement of vertical ozone profiles in the troposphere that contain aerosol layers with strong backscattering gradients: A simplified version, *Appl. Opt.*, 33 (36): 8393-8401, 1994.

390 Werner, J., K. W. Rothe, and H. Walther, Monitoring of the stratospheric ozone layer by laser radar, *Appl. Phys. B*, 32, 113-118, 1983.

391 El'nikov, A. V., V. V. Zuev, V. N. Marichev, and S. I. Tsaregorodtsev, First results of lidar observations of stratospheric ozone above western Siberia (in Russian), *Opt. Atmos.*, 2, 995-996, 1989; English version in *Atmos. Opt.*, 2, 841-842, 1989.

392 Godin, S., Mégie, and J. Pelon, Systematic lidar measurements of the stratospheric ozone vertical distribution, *Geophys. Res. Lett.*, 16, 547-550, 1989.

393 Sugimoto, N., Y. Sasano, H. Nakane et al., Multiple wavelength laser radar for measuring the stratospheric and tropospheric ozone profile (in Japanese), *Oyo Buturi Appl. Phys.*, 58, 1385-1397, 1989.

394 Stefanutti, L., F. Castagnoli, M. Del Guasta et al., The Antarctic ozone lidar system, *Appl. Phys. B*, 55, 3-12, 1992.

395 D'Altorio, A., F. Masci, G. Visconti et al., Stratospheric aerosol and ozone lidar measurements after the Pinatubo eruption, *Geophys. Res. Lett.*, 19, 393-396, 1992.

396 D'Altorio, A., F. Masci, V. Rizi et al., Continuous lidar measurements of stratospheric aerosols and ozone after the Pinatubo eruption. Part I: DIAL ozone retrieval in presence of stratospheric aerosol layers, *Geophys. Res. Lett.*, 20, 2865-2868, 1993.

397 Carswell, A. I., A. Ulitsky, and D. I. Wardle, Lidar measurements of the Arctic stratosphere, *Proc. SPIE*, 2049, 9-22, 1993.

398 Heese, B., P. von der Gathen, W. Ruhe, and O. Schrems, A new detector for lidar measurements of ozone exchange processes between stratosphere and troposphere, *Proc. SPIE*, 2047, 250-253, 1993.

399 Bukreev, V. S., S. K. Vartapetov, I. A. Veselovskii et al., Excimer-laser-based lidar system for stratospheric and tropospheric ozone measurements, *Kvant. Elektron.*, 21, 591-596, June 1994 (in Russian).

400 Neuber, R., and B. C. Krüger, The stratospheric ozone layer above Spitsbergen in winter 1989, *Geophys. Res. Lett.*, 17, 321-324, 1990.

401 Nakane, H., Y. Sasano, S. Hayashida-Amano et al., Comparison of ozone profiles obtained with NIES DIAL and SAGE II measurements, *J. Meteorol. Soc. Jpn.*, 71, 153-

159, 1993.

402 Lacoste, A. M., S. Godin, and G. Mégie, Lidar measurements and Umkehr observations of the ozone vertical distribution at the Observatoire de Haute-Provence, *J. Atmos. Terrest. Phys.*, 54, 571-582, 1992.

36. EFFECTS OF AFTERPULSING

403 Kaul', B. V., O. Krasnov, and A. L. Kuznetsov, Correction of lidar signals for photomultiplier afterpulsing noise (in Russian), *Opt. Atmos.*, 3, 1126-1128; English version in *Atmos. Opt.*, 3, 1113-1115, 1990.

404 Yelnikov, A. V., V. V. Zuev, and V. N. Marichev, An account of the effect of the PMT afterpulses on the lidar signals of aerosol and molecular scattering, *Atmos. Opt.*, 4, 175-182, 1991.

37. MORE STRATOSPHERIC OZONE DIAL

405 McDermid, I. S., and T. D. Walsh, New lidar for the Network for the Detection of Stratospheric Change - Mauna Loa Observatory: Initial results, *Tech. Digest, Topical Meet. Optical Remote Sensing of the Atmosphere*, Salt Lake City, Utah, March 8-12, 1993, spons. by *Opt. Soc. Am.*, 276-279.

406 El'nikov, A. V., V. V. Zuev, V. E. Zuev, and V. N. Marichev, Variations of stratospheric ozone based on the data of laser probing, *Proc. SPIE*, 2047, 134-137, 1993.

407 De Backer, H., E. P. Visser, D. De Muer, and D. P. J. Swart, Potential for meteorological bias in lidar ozone data sets resulting from the restricted frequency of measurement due to cloud cover, *J. Geophys. Res.*, 99, 1395-1401, 1994.

408 McDermid, I. S., S. M. Godin, and L. O. Lundqvist, Ground-based laser DIAL system for long-term measurements of stratospheric ozone, *Appl. Opt.*, 29, 3603-3612, 1990a.

409 McDermid, I. S., D. A. Haner, M. M. Kleiman et al., Differential absorption lidar systems for tropospheric and stratospheric ozone measurements, *Opt. Eng.*, 30, 22-30, 1991.

410 McDermid, I. S., S. M. Godin, P.-H. Wang, and M. P. McCormick, Comparison of stratospheric ozone profiles and their seasonal variations as measured by lidar and SAGE 2 during 1988, *J. Geophys. Res.*, 95, 5605-5612, 1990b.

411 McDermid, I. S., S. M. Godin, L. O. Lundqvist et al., Measurement intercomparison of the JPL and GSFC stratospheric ozone lidar systems, *Appl. Opt.*, 29, 4671-4676,

1990c.

412 McDermid, I. S., S. M. Godin, R. A. Barnes et al., Comparison of ozone profiles from ground-based lidar, ECC balloon sonde, ROCOZ-A rocket sonde, and SAGE 2 satellite measurements, *J. Geophys. Res.*, 95, 10,037-10,042, 1990d.

413 McDermid, I. S., A 4-year climatology of stratospheric ozone from lidar measurements at Table Mountain, 34.4°N, *J. Geophys. Res.*, 98, 10,509-10,515, 1993.

414 Claude, H., F. Schönenborn, W. Steinbrecht, and W. Vandersee, New evidence for ozone depletion in the upper stratosphere, *Geophys. Res. Lett.*, 21, 2409-2412, 1994.

415 Molina, M. J., and F. S. Rowland, Stratospheric Sink for Chlorofluoromethanes: Chlorine Atom Catalyzed Destruction of Ozone, *Nature* 249, 810-812, 1974.

38. TROPOSPHERIC OZONE DIAL

416 Grant, W. B., E. V. Browell, N. S. Higdon, and S. Ismail, Raman shifting of KrF laser radiation for tropospheric ozone measurements, *Appl. Opt.*, 30, 2628-2633, 1991.

417 Uthe, E. E., J. M. Livingston, and N. B. Nielsen, Airborne lidar mapping of ozone concentrations during the Lake Michigan ozone study, *J. Air Waste Manage. Assoc.* 42, 1313-1318, 1992.

418 Moosmüller, H., D. Diebel, D. H. Bundy et al., Ozone measurements with the U.S. EPA UV-DIAL: Preliminary results, in Abstracts, Sixteenth International Laser Radar Conf., MIT, Cambridge, Ma., July 20-24, 1992, NASA Conf. Pub. 3158, pp. 95-99.

419 Moosmüller, H., R. J. Alvarez, II, R. M. Jorgensen et al., An airborne UV-DIAL system for ozone measurements: Field use and verification, in *Optical Sensing for Environmental Monitoring*, SP-89, Air & Waste Management Assoc., 413-422, 1994.

39. SO₂ AND NO₂ DIAL

420 Brassington, D. J., Sulfur dioxide absorption cross-section measurements from 290 to 317 nm, *Appl. Opt.*, 20, 3774-3779, 1981.

421 Weitkamp, C., O. Thomsen, and P. Bisling, Sulfur dioxide absorption cross-section measurements between 265 and 298 nanometers, in Tech. Digest, Topical Meeting on Optical Remote Sensing of the Atmosphere, Incline Village, Feb. 12-15, 1990, spons. by Opt. Soc. Am., Washington, DC, pp. 501-503.

422 Hawley, J. G., L. D. Fletcher, and C. F. Wallace, Ground-based ultraviolet differential absorption lidar (DIAL) system and measurements, in *Optical and Laser Remote Sensing*, D. K. Killinger and A. Mooradian, eds., Springer Verlag, New York,

128-137, 1982

423 Ancellet, G., G. Mégie, J. Pelon et al., Lidar measurements of sulfur dioxide and ozone in the boundary layer during the 1983 Fos Berre campaign, *Atmos. Environ.*, 21, 2215-2226, 1987.

424 Beniston, M., J. P. Wolf, M. Beniston-Rebetez et al., Use of lidar measurements and numerical models in air pollution research, *J. Geophys. Res.*, 95, 9879-9894, 1990.

425 Buschner, R., M. Kolm, and C. Weitkamp, ARGOS - A vanborne system for remote air pollution measurements, *Proc. SPIE*, 1269, 81-87, 1990.

426 Cunningham, D. L., W. H. Pence, and S. E. Moody, Mobile SO₂ and NO₂ DIAL lidar system for enforcement use, *Proc. SPIE*, 2112, in press, 1993.

427 Goers, U.-B., P. Bisling, J. Glauer et al., ARGOS: A differential absorption lidar for depth-resolving measurement of sulfur dioxide, nitrogen dioxide and ozone, in P. Zannetti et al., eds., *Air Pollution. Part II -- Analysis, Monitoring, Management and Engineering*, Boston, Mass., Computational Mechanics Publications, 1993, pp. 487-494.

428 Edner, H., P. Ragnarson, S. Svanberg et al., Total fluxes of sulfur dioxide from the Italian volcanoes Etna, Stromboli, and Vulcano measured by differential absorption lidar and passive differential optical absorption spectroscopy, *J. Geophys. Res.*, 99, 18,827-18,838, 1994.

429 Kölsch, H. J., P. Rairoux, J. P. Wolf, and L. Wöste, Simultaneous NO and NO₂ DIAL measurement using BBO crystals, *Appl. Opt.*, 28, 2052-2056, 1989.

430 Kölsch, H. J., P. Rairoux, J. P. Wolf, and L. Wöste, Comparative study of nitric oxide immission in cities on Lyon, Geneva, and Stuttgart using a mobile differential absorption lidar system, *Appl. Phys. B*, 54, 89-94, 1992.

40. MERCURY DIAL

431 Edner, H., G. W. Faris, A. Sunesson, and S. Svanberg, Atmospheric atomic mercury monitoring using differential absorption lidar techniques, *Appl. Opt.*, 28, 921-930, 1989a.

432 Edner, H., G. W. Faris, A. Sunesson et al., Mobile remote sensing system for atmospheric monitoring, *Appl. Opt.*, 26, 4330-4338, 1989b.

433 Edner, H., G. W. Faris, A. Sunesson et al., Lidar search for atmospheric atomic mercury in Icelandic geothermal fields, *J. Geophys. Res.*, 96, 2977-2986, 1991.

434 Edner, H., P. Ragnarson, S. Svanberg et al., Differential absorption lidar mapping of atmospheric atomic mercury in Italian geothermal fields, *J. Geophys. Res.*, 97, 3779-3786, 1992.

435 Ferrara, R., B. E. Maserti, H. Edner et al., Mercury emissions into the atmosphere

from a chlor-alkali complex measured with the lidar technique, *Atmos. Environ.*, 26A, 1253-1258, 1992.

436 Edner, H., P. Ragnarson, S. Svanberg et al., Atmospheric mercury mapping in a cinnabar mining area, *Science Total Environ.*, 133, 1-15, 1993.

437 Sholupov, S. E., A. A. Ganeev, and O. I. Matveev, Remote detection of atomic mercury in the atmosphere by differential absorption lidar, *J. Appl. Spectrosc.*, 54, 45, 1991.

41. HYDROCARBONS, SO₂, AND NO₂

438 Milton, M. J. T., P. T. Woods, B. W. Jolliffe et al., Measurements of toluene and other aromatic hydrocarbons by differential-absorption lidar in the near-ultraviolet, *Appl. Phys. B*, 55, 41-45, 1992.

439 Edner, H., K. Fredriksson, A. Sunesson et al., Mobile remote sensing for atmospheric monitoring, *Appl. Opt.*, 26, 4330-4338, 1987.

440 Sugimoto, N., I. Matsui, Y. Sasano et al., A differential absorption lidar system for measuring NO₂ in the urban atmosphere (in Japanese), *Rev. Laser Engineering*, 15, 170-180, 1987.

42. WATER VAPOR DIAL

441 Stephens, G. L., and S. A. Tjemkes, Water vapour and its role in the Earth's greenhouse, *Austral. J. Phys.*, 46, 149-166, 1993.

442 Grossmann, B. E., and E. V. Browell, Spectroscopy of water vapor in the 720-nm wavelength region: Line strengths, self-induced pressure broadenings and shifts, and temperature dependence of linewidths and shifts, *J. Molec. Spectrosc.*, 136, 264-294, 1989.

443 Grossmann, B. E., and E. V. Browell, Water-vapor line broadening and shifting by air, nitrogen, oxygen, and argon in the 720-nm wavelength region, *J. Molec. Spectrosc.*, 138, 562-595, 1989.

444 Browell, E. V., S. Ismail, and B. E. Grossmann, Temperature sensitivity of differential absorption lidar measurements of water vapor in the 720-nm region, *Appl. Opt.*, 30, 1517-1524, 1991.

445 Cahen, C., and G. Mégie, A spectral limitation of the range resolved differential absorption lidar technique, *J. Quant. Spectrosc. Radiat. Transfer*, 25, 151-157, 1981.

446 Ismail, S., and E. V. Browell, Airborne and spaceborne lidar measurements of water

- vapor profiles: A sensitivity analysis, *Appl. Opt.*, 28, 3603-3615, 1989; errata, *Appl. Opt.*, 28, 4981, 1989.
- 447 Webster, C. R., R. T. Menzies, and E. D. Hinkley, Infrared laser absorption: Theory and applications, Ch. 3 in *Laser Remote Chemical Analysis*, R. M. Measures, ed., J. Wiley & Sons, N.Y., pp 163-272, 1988.
- 448 Bösenberg, J., Measurements of the pressure shift of water vapour absorption lines by simultaneous photoacoustic spectroscopy, *Appl. Opt.*, 24, 3531-3534, 1985.
- 449 Zuev, V. V., Yu. N. Ponomarev, A. M. Solodov et al., Influence of the shift H₂O absorption lines with air pressure on the accuracy of the atmospheric humidity profiles measured by the differential absorption method, *Opt. Lett.*, 10, 318-320, 1985.
- 450 Murray, E. R., R. D. Hake, Jr., J. E. van der Laan, and J. G. Hawley, Atmospheric water vapor measurements with a 10 micrometer DIAL system, *Appl. Phys. Lett.*, 28, 542-543, 1976
- 451 Murray, E. R., Remote measurement of gases using differential-absorption lidar, *Opt. Eng.*, 17, 30-38, 1978
- 452 Baker, P. W., Atmospheric water vapor differential absorption measurements on vertical paths with a CO₂ lidar, *Appl. Opt.*, 22, 2257-2264, 1983.
- 453 Hardesty, R. M., Coherent DIAL measurement of range-resolved water vapor concentration, *Appl. Opt.*, 23, 2545-2553, 1984.
- 454 Grant, W. B., J. S. Margolis, A. M. Brothers, and D. M. Tratt, CO₂ DIAL measurements of water vapor, *Appl. Opt.*, 26, 3033-3042, 1987.
- 455 Grant, W. B., Water vapor absorption coefficients in the 8--13 μm spectral region: A critical review, *Appl. Opt.*, 29, 451-462, 1990.
- 456 Rinsland, C. P., A. Goldman, M. A. H. Smith, and V. M. Devi, Measurements of Lorentz air-broadening coefficients and relative intensities in the H²¹⁶O₂ pure rotational and nu₂ bands from long horizontal path atmospheric spectra, *Appl. Opt.* 30, 1427-1438, 1991.
- 457 Ben-David, A., Temperature dependence of water vapor absorption coefficients for CO₂ differential absorption lidars, *Appl. Opt.*, 32, 7479-7483, 1993.
- 458 Duarte, F., J. J. Ehrlich, W. E. Davenport, and T. S. Taylor, Flashlamp pumped narrow-linewidth dispersive dye laser oscillators: Very low amplified spontaneous emission levels and reduction of linewidth instabilities, *Appl. Opt.*, 29, 3176-3179, 1990.
- 459 Rubinov, A. N., M. M. Asimov, and A. G. Varpakhovich, The spectral narrowing of a high-power flashlamp-pumped dye laser by injection of external narrow-band radiation, *Appl. Phys. B*, 58, 83-84, 1994.
- 460 Browell, E. V., T. D. Wilkerson, and T. J. McIlrath, Water vapor differential

absorption lidar development and evaluation, *Appl. Opt.*, 18, 3474-3483, 1979.

461 Cahen, C., G. Mégie, and P. Flamant, Lidar monitoring of water vapor cycle in the troposphere, *J. Appl. Meteorol.* 21, 1506-1515, 1982.

462 Bösenberg, J., C. Senff, and P.-Y. Thro, DIAL measurements of water vapor in the troposphere: Assessment of accuracy, in *Abstracts, Part II, Fifteenth International Laser Radar Conference, Tomsk, Russia, July 27-30, 1990*, pp. 170-172.

463 Ehret, G., C. Kiemle, W. Renger, and G. Simmet, Airborne remote sensing of tropospheric water vapor using a near infrared DIAL system, *Appl. Opt.*, 32, 4534-4551, 1993.

464 Senft, C., J. Bösenberg, and G. Peters, Measurement of water vapor flux profiles in the convective boundary layer with lidar and radar-RASS, *J. Atmos. Ocean. Technol.*, 11, 85-93, 1994.

465 Walling, J. C., O. G. Peterson, H. P. Jenson et al., Tunable alexandrite lasers, *IEEE J. QE-16*, 1302-1315, 1980.

466 Walling, J. C., D. F. Heller, H. Samelson et al., Tunable alexandrite lasers: Development and performance, *IEEE J. Quant. Elect.*, QE-21, 1568-1581, 1985.

467 Bruneau, D., H. Cazeneuve, C. Loth, and J. Pelon, Double-pulse dual-wavelength alexandrite laser for atmospheric water vapor measurement, *Appl. Opt.*, 30, 3930-3937, 1991.

468 Ponsardin, P., N. S. Higdon, B. E. Grossmann, and E. V. Browell, Spectral control of an alexandrite laser for an airborne water-vapor differential absorption lidar system, *Appl. Opt.*, 33, 6439-6450, 1994.

469 Higdon, N. S., E. V. Browell, P. Ponsardin et al., Airborne differential absorption lidar system for measurements of atmospheric water vapor and aerosols, *Appl. Opt.*, 33, 6422-6438, 1994.

470 Barnes, N. P., and J. C. Barnes, Injection seeding I: Theory, *IEEE J. Quant. Elect.*, 29, 2670-2683, 1993.

471 Schwemmer, G. K., H. S. Lee, and C. R. Prasad, Narrowband alexandrite laser injection seeded with frequency dithered diode laser, *Proc. SPIE*, 1492, 52-62, 1991.

472 Bruneau, D., T. Arnaud des Lions, P. Quaglia, and J. Pelon, Injection seeded pulsed alexandrite laser for DIAL application, *Appl. Opt.*, 33, 3941-3940, 1994.

473 Grant, W. B., Differential absorption and Raman lidar for water vapor profile measurements: A review, *Opt. Eng.*, 30, 40-48, 1991.

474 Barnes, J., W. Edwards, L. Petway, and L.-G. Wang, NASA Lidar Atmospheric Sensing Experiment's titanium-doped sapphire tunable laser system, in *Tech. Digest, Optical Remote Sensing of the Atmosphere, Salt Lake City, Utah, March 8-12, 1993*,

spons. by Optical Society of America (OSA), pp. 459-461.

475 Ismail, S., and E. V. Browell, Recent lidar technology developments and their influence on measurements of tropospheric water vapor, *J. Atmos. Ocean. Technol.*, 11, 76-84, 1994.

476 Vaughan, W. R., and E. V. Browell, A lidar instrument to measure H₂O and aerosol profiles from the NASA ER-2 aircraft, paper presented at the Specialty Meeting on Airborne Radars and Lidars, Meteo-France, Toulouse, July 7-10, 1992.

477 Barnes, J. C., N. P. Barnes, and G. E. Miller, Master oscillator power amplifier performance of Ti:Al₂O₃, *IEEE J. Quant. Elect.*, 24, 1029-1038, 1988.

478 Sachse, G., L.-G. Wang, S. Ismail et al., Multi-wavelength sequential seeding method for water vapor DIAL measurements, in *Tech. Digest, Optical Remote Sensing of the Atmosphere*, Salt Lake City, Utah, March 8-12, 1993, spons. by OSA, pp. 162-164.

479 Sierks, J., J. Eschner, V. M. Baev, and P. E. Toschek, Sensitivity of intracavity absorption measurements with Ti:sapphire laser, *Opt. Comm.*, 102, 265-270, 1993.

480 Miller, G. E., Diode injection-seeded, 940 nanometer (nm), titanium-sapphire laser for H₂O DIAL (differential absorption lidar) measurements, in *NASA Contract Report NASA-CR-189691, NASA/American Society for Engineering Education (ASEE) Summer Faculty Fellowship Program 1992*, J. H. Spencer, compiler, Hampton Univ., Hampton, Va.

43. DIAL FOR TEMPERATURE

481 Korb, C. L., and C. Y. Weng, A theoretical study of a two-wavelength lidar technique for the measurement of atmospheric temperature profiles, *J. Appl. Meteorol.*, 21, 1346-1355, 1982.

482 Theopold, F. A., and J. Bösenberg, Differential absorption lidar measurements of atmospheric temperature profiles: Theory and experiment, *J. Atmos. Ocean. Technol.*, 10, 165-179, 1993.

483 Korb, C. L., and C. Y. Weng, Differential absorption lidar technique for measurement of the atmosphere pressure profile, *Appl. Opt.*, 23, 3759-3770, 1983.

484 Korb, C. L., G. K. Schwemmer, M. Dombrowski, and C. Y. Weng, Airborne and ground based lidar measurements of the atmospheric pressure profile, *Appl. Opt.*, 28, 3015-3020, 1989.

485 Schwemmer, G. K., M. Dombrowski, C. L. Korb et al., A lidar system for measuring atmospheric pressure and temperature profiles, *Rev. Sci. Instrum.*, 58, 2226-2237, 1987.

486 Dombrowski, M., G. K. Schwemmer, and C. L. Korb, A lidar system for measuring

atmospheric pressure and temperature, Proc. SPIE, 1222, 194-205, 1990.
487 Starr, D. O'C., C. L. Korb, G. K. Schwemmer, and C. H. Weng, Observations of height-dependent pressure-perturbation structure of a strong mesoscale gravity wave, Mon. Wea. Rev., 120, 2808-2820, 1992.
488 Lee, J. S., G. K. Schwemmer, C. L. Korb et al., Gated photomultiplier response characterization for DIAL measurements, Appl. Opt., 29, 3303-3315, 1990.

44. CO₂ LASER DIAL

489 Murray, E. R., and J. E. van der Laan, Remote measurement of ethylene using a CO₂ differential-absorption lidar, Appl. Opt., 17, 814-817, 1978.
490 Persson, U., J. Johansson, B. Marthinsson, and S. T. Eng, Ethylene mass flow measurements with an automatic CO₂ laser long-path absorption system, Appl. Opt., 21, 4417-4420, 1982.
491 Force, A. P., D. K. Killinger, W. E. DeFeo, and N. Menyuk, Laser remote sensing of atmospheric ammonia using a CO₂ lidar system, Appl. Opt., 24, 2837-2841, 1985.
492 Menyuk, N., D. K. Killinger, and W. E. DeFeo, Laser remote sensing of hydrazine, MMH, and UDMH using a differential absorption CO₂ lidar, Appl. Opt., 21, 2275-2286, 1982.
493 Leonelli, J., P. Holland, and J. van der Laan, Multiwavelength and CO₂ lidars for trace gas detection, Proc. SPIE, 1062, 203-216, 1989.
494 Grant, W. B., He-Ne and cw CO₂ laser long-path systems for gas detection, Appl. Opt., 25, 709-7xx?, 1986.
495 Dolgi, S. I., V. V. Zuev, V. E. Zuev, and A. I. Petrov, Investigation of tropospheric ozone based on the data of laser long-pass measurements, Proc. SPIE, 2047, 144-150, 1993.
496 Bondarenko, S. L., S. I. Dolgii, V. V. Zuev et al., Laser multicomponent gas analysis of the ground layer of the atmosphere (in Russian), Opt. Atmos. Okean., 5, 611-634, English version in Atmos. Ocean. Opt., 5, 386-399, 1992.
497 Bradley, L. C., K. L. SooHoo, and C. Freed, Absolute frequencies of lasing transitions in nine CO₂ isotopic species, IEEE J. Quant. Elect., QE-22, 234-267, 1986.
498 McRae, T. G., and T. J. Kulp, Backscatter absorption gas imaging: A new technique for gas visualization, Appl. Opt., 32, 4037-4050, 1993.
499 Petheram, J. C., Differential backscatter from the atmospheric aerosol: The implications for IR differential absorption lidar, Appl. Opt., 20, 3941-3946, 1981.

45. COHERENT CO₂ LASER DIAL SYSTEMS

- 500 Fukuda, T., Y. Matsuura, and T. Mori, Sensitivity of coherent range-resolved differential absorption lidar, *Appl. Opt.*, 23, 2026-2032, 1984.
- 501 Grant, W. B., The Mobile Atmospheric Pollutant Mapping (MAPM) system: A coherent CO₂ DIAL system, *Proc. SPIE*, 1062, 172-190, 1989.
- 502 Kobayasi, T., and H. Inaba, Infra-red heterodyne laser radar for remote sensing of air pollutants by range-resolved differential absorption, *Opt. Quant. Elect.*, 7, 319-327, 1975.
- 503 Zhao, Y., M. J. Post, and R. M. Hardesty, Receiving efficiency of monostatic pulsed coherent lidars. 1: Theory, *Appl. Opt.*, 29, 4111-4119, 1990.
- 504 Zhao, Y., M. J. Post, and R. M. Hardesty, Receiving efficiency of monostatic pulsed coherent lidars. 2: Applications, *Appl. Opt.*, 29, 4120-4132, 1990.
- 505 Faxvog, F. R., and H. W. Mocker, Rapidly tunable CO₂-TEA laser, *Appl. Opt.*, 21, 3986-3987, 1982.
- 506 Fox, J., and J. Ahl, High-speed tuning mechanism for CO₂ lidar systems, *Appl. Opt.*, 25, 3830-3834, 1986.
- 507 Piltingsrud, H. V., CO₂ laser for lidar applications, producing two narrowly spaced independently wavelength-selectable Q-switched output pulses, *Appl. Opt.*, 30, 3952-3963, 1991.
- 508 Ben-David, A., S. L. Emery, S. W. Gotoff, and F. M. D'Amico, High pulse repetition frequency, multiple wavelength, pulsed CO₂ lidar system for atmospheric transmission and target reflectance measurements, *Appl. Opt.*, 31, 4224-4232, 1992.
- 509 Fox, J. A., C. R. Gautier, and J. L. Ahl, Rapid-tuning device for CO₂ heterodyne detection lidar, *Rev. Sci. Instrum.*, 60, 1258-1261, 1989.
- 510 Zhao, Y., T. K. Lea, and R. M. Schotland, Correction function for the lidar equation and some techniques for incoherent CO₂ lidar data reduction, *Appl. Opt.*, 27, 2730-2740, 1988.
- 511 Ben-David, A., A. P. Force, F. M. D'Amico, and S. L. Emery, The effect of a CO₂ laser pulse shape on the accuracy of DIAL measurements, *J. Atmos. Ocean. Technol.*, 9, 520-525, 1992.
- 512 Gurdev, L. L., T. N. Dreischuh, and D. V. Stoyanov, Deconvolution techniques for improving the resolution of long-pulse lidars, *J. Opt. Soc. Am.*, 10, 2296-2306, 1993.

46. OPTICAL PARAMETRIC OSCILLATOR DIAL SYSTEMS

- 513 Henningsen, T., M. Garbuny, and R. L. Byer, Remote detection of CO by parametric

tunable laser, *Appl. Phys. Lett.*, 24, 242-244, 1974.

514 Baumgartner, R. A., and R. L. Byer, Remote SO₂ measurements at 4 μm with a continuously tunable source, *Opt. Lett.*, 2, 163-165, 1978a.

515 Baumgartner, R. A., and R. L. Byer, Continuously tunable IR lidar with applications to remote measurements of SO₂ and CH₄, *Appl. Opt.*, 17, 3555-3561, 1978b.

516 Endemann, M., and R. L. Byer, Remote single-ended measurements of atmospheric temperature and humidity at 1.77 μm using a continuously tunable source, *Opt. Lett.*, 5, 452-454, 1980.

517 Brassington, D. J., Differential absorption lidar measurements of atmospheric water vapor using an optical parametric oscillator source, *Appl. Opt.*, 21, 4411-4416, 1982.

518 Milton, M. J. T., T. J. McIlveen, D. C. Hanna, and P. T. Woods, A high-gain optical parametric amplifier tunable between 3.27 and 3.65 μm, *Opt. Comm.*, 93, 186-190, 1992.

519 Milton, M. J. T., P. T. Woods, R. H. Partridge, and B. W. Jolliffe, Long-path methods for remote sensing of pollutants in the boundary layer, *Proc. SPIE*, 1715, 312-321, 1992.

520 Taylor, S., DIAL in the 3.1- to 3.7-μm spectral region using two simultaneously pumped optical parametric oscillators, in *Tech. Digest, Topical Meeting on Optical Remote Sensing of the Atmosphere*, Salt Lake City, Utah, March 8-12, 1993, spons. by OSA, pp 455-458.

47. RAMAN-SHIFTED LASER LIDAR

521 Sugimoto, N., and A. Minato, Long-path absorption measurement of CO₂ with a Raman-shifted tunable dye laser, *Appl. Opt.*, 32, 6827-6833, 1993.

48. RAMAN LIDAR FOR WATER VAPOR

522 Inaba, H, Detection of atoms and molecules by Raman scattering and resonance fluorescence, Ch. 5 in *Laser Monitoring of the Atmosphere*, E. D. Hinkley, ed., Springer-Verlag, Berlin, 153-236, 1976.

523 Melfi, S. H., and D. Whiteman, Observation of lower atmospheric moisture structure and its evolution using a Raman lidar, *Bull. Am. Meteorol. Soc.*, 66, 1288-1292, 1985.

524 Kostko, O. K., V. S. Portasov, Y. U. Khattatov et al., *Laser Application for Atmospheric Composition Studies*, Hydrometeorology Press, Leningrad, 1983.

525 Cooney, J., K. Petri, and A. Salik, Measurements of high resolution atmospheric water vapor profiles by use of a solar blind Raman lidar, *Appl. Opt.*, 24, 104-108, 1985.

- 526 Cooney, J. A., Lidar method of measurement of atmospheric extinction and ozone profiles, *Appl. Opt.*, 25, 2035-2036, 1986.
- 527 Bisson, S. E., and J. E. M. Goldsmith, Daytime tropospheric water vapor profile measurements with a Raman lidar, in *Tech. Digest, Optical Remote Sensing of the Atmosphere*, Salt Lake City, Utah, March 8-12, 1993, spons. by OSA, pp. 19-22.
- 528 Whiteman, D. N., S. H. Melfi, and R. A. Ferrare, Raman lidar system for the measurement of water vapor and aerosols in the Earth's atmosphere, *Appl. Opt.*, 31, 3068-3082, 1992.
- 529 Donovan, D. P., J. A. Whiteway, and A. I. Carswell, Correction for nonlinear photon counting effects in lidar systems, *Appl. Opt.*, 32, 6742-6753, 1993.
- 530 Melfi, S. H., D. N. Whiteman, and R. Ferrare, Atmospheric moisture structure revealed by Raman lidar, *Opt. Photonics News*, 2(10), 16-18, 1991.
- 530 Koch, S. E., P. B. Dorian, R. Ferrare et al., Structure of an internal bore and dissipating gravity current as revealed by Raman lidar, *Mon. Wea. Rev.*, 119, 857-887, 1991.
- 531 Soden, B. J., D. O'C. Starr, S. H. Melfi, and R. A. Ferrare, Comparison of upper tropospheric water vapor from GOES, Raman lidar, and CLASS measurements, *J. Geophys. Res.*, 99, 21,005-21,016, 1994.
- 532 Goldsmith, J. E. M., S. E. Bisson, R. A. Ferrare et al., Raman lidar profiling of atmospheric water vapor: Simultaneous measurements with two collocated systems, *Bull. Am. Meteorol. Soc.*, 75, 975-982, 1994.
- 533 England, M. N., R. A. Ferrare, S. H. Melfi et al., Atmospheric water vapor measurements: Comparison of microwave radiometry and lidar, *J. Geophys. Res.*, 97, 899-916, 1992.
- 534 Han, Y., J. B. Snider, E. R. Westwater et al., Observations of water vapor by ground-based microwave radiometers and Raman lidar, *J. Geophys. Res.*, 99, 18,695-18,702, 1994.
- 535 Cooper, D. I., W. E. Eichinger, D. B. Holtkamp et al., Spatial variability of water vapor turbulent transfer within the boundary layer, *Boundary-Layer Meteorol.*, 61, 389-405, 1992.
- 536 Eichinger, W. E., D. I. Cooper, D. B. Holtkamp et al., Derivation of water vapor fluxes from lidar measurements, *Boundary-Layer Meteorol.*, 63, 39-64, 1993.
- 537 Eichinger, W. E., D. I. Cooper, M. Parlange, and G. Katul, The application of a scanning, water Raman-lidar as a probe of the atmospheric boundary layer, *IEEE Trans. Geosci. Remote Sens.*, 31, 70-79, 1993.
- 538 Eichinger, W. E., D. I. Cooper, D. E. Hof et al., Development and application of a

scanning, solar-blind, water Raman-lidar, *Appl. Opt.*, 33, 3923-3932, 1994.
539 Cooper, D. I., W. E. Eichinger, D. E. Hof et al., Observations of coherent structures from a scanning lidar over an irrigated orchard, *Agricultural Forest Meteor.*, in press.
540 Rajan, S., T. J. Kane, and C. R. Philbrick, Multiple-wavelength Raman lidar measurements of atmospheric water vapor, *Geophys. Res. Lett.*, 21, 2499-2502, 1994.

49. RAMAN LIDAR FOR TEMPERATURE MEASUREMENTS

541 Strauch, R. G., V. E. Derr, and R. E. Cupp, Atmospheric temperature measurement using Raman backscatter, *Appl. Opt.*, 10, 2665-2669, 1971.
542 Philbrick, C. R., Raman lidar measurements of atmospheric properties, *Proc. SPIE* 2222, 922-931, 1994.
543 Evans, K. D., S. H. Melfi, R. A. Ferrare, and D. N. Whiteman, Tropospheric temperature measurements using a Raman lidar, in *Tech. Digest, Optical Remote Sensing of the Atmosphere*, Salt Lake City, Utah, March 8-12, 1993, spons. by OSA, pp. 169-172.
544 Chanin, M. L., A. Hauchecorne, A. Garnier, and D. Nedeljkovic, Recent lidar developments to monitor stratosphere-troposphere exchange, *J. Atmos. Terrest. Phys.*, 56, 1073-1081, 1994.
545 Kobayashi, T., R. Taira, T. Yamamoto et al., Rotational Raman lidar for lower tropospheric temperature profiling, in *Abstracts, Sixteenth International Laser Radar Conf.*, MIT, Cambridge, Ma., July 20-24, 1992, NASA Conf. Pub. 3158, pp. 205-208.
546 Mitev, V. M., V. B. Simeonov, and I. V. Grigorov, A comparison between Raman lidar and conventional contact measurements of atmospheric temperature, in *Abstracts, Sixteenth International Laser Radar Conf.*, MIT, Cambridge, Ma., July 20-24, 1992, NASA Conf. Pub. 3158, pp. 217-220.
547 Heimrath, D., Untersuchungen zu einem Thallium-Atomdampffilter für ein Raman-Temperatur-Lidar (in German), GKSS Report 92/E/13, Geesthacht, Germany, 85 pp, 1992.
548 Vaughan, G., D. P. Wareing, S. J. Pepler et al., Atmospheric temperature measurements made by rotational Raman scattering, *Appl. Opt.*, 32, 2758-2764, 1993.
549 Nedeljkovic, D., A. Hauchecorne, and M.-L. Chanin, Rotational Raman lidar to measure the atmospheric temperature from the ground to 30 km, *IEEE Trans. Geosci. Remote Sens.*, 31, 90-101, 1993.
550 Wandinger, U., A. Ansmann, and C. Weitkamp, Atmospheric Raman depolarization-ratio measurements, *Appl. Opt.*, 33, 5671-5673, 1994.

50. LIDAR MEASUREMENTS OF ATOMS IN THE MESOSPHERE

- 551 Mégie, G., Laser measurements of atmospheric trace constituents, in *Laser Remote Chemical Analysis*, R. M. Measures, ed., J. Wiley & Sons, N.Y., 1988, pp 333-408.
- 552 Kane, T. J., and C. S. Gardner, Structure and seasonal variability of the nighttime mesospheric Fe layer at midlatitudes, *J. Geophys. Res.*, 98, 16,875-16,886, 1993.
- 553 Uchiumi, M., C. Nagasawa, M. Hirono et al., Sporadic enhancement of the mesospheric sodium during the Perseids γ meteor shower, *J. Geomag. Geoelectr.*, 45, 393-403, 1993.
- 554 von Zahn, U., and T. L. Hansen, Sudden neutral sodium layers: A strong link to sporadic E layers, *J. Atmos. Terr. Phys.*, 50, 93-104, 1988.
- 555 Hansen, G., and U. von Zahn, Sudden sodium layers in polar latitudes, *J. Atmos. Terrest. Phys.*, 52, 585-608, 1990.
- 556 Kane, T. J., C. A. Hostetler, and C. S. Gardner, Horizontal and vertical structure of the major sporadic sodium layer events observed during ALOHA-90, *Geophys. Res. Lett.*, 18, 1365-1368, 1991.
- 557 Kane, T. J., C. S. Gardner, Q. Zhou et al., Lidar, radar and airglow observations of a prominent sporadic Na/sporadic E layer event at Arecibo during AIDA-89, *J. Atmos. Terrest. Phys.*, 55, 499-511, 1993.
- 558 Cox, R. M., J. M. C. Plane, and J. S. A. Green, A modelling investigation of sudden sodium layers, *Geophys. Res. Lett.*, 20, 2841-2844, 1993.
- 559 Mathews, J. D., Q. Zhou, C. R. Philbrick et al., Observations of ion and sodium layer coupled processes during AIDA, *J. Atmos. Terrest. Phys.*, 55, 487-498, 1993.
- 560 Zhou, Q., J. D. Mathews, and C. A. Tepley, A proposed temperature dependent mechanism for the formation of sporadic sodium layers, *J. Atmos. Terrest. Phys.*, 55, 513-521, 1993.
- 561 Alpers, M., J. Höffner, and U. von Zahn, Sporadic Fe and E layers at polar, middle, and low latitudes, *J. Geophys. Res.*, in press, 1994.
- 562 Bills, R. E., and C. S. Gardner, Lidar observations of mesospheric Fe and sporadic Fe layers at Urbana, Illinois, *Geophys. Res. Lett.*, 17, 143-146, 1990.
- 563 Alpers, M., J. Hoffner, and U. von Zahn, Sporadic Fe and E layers at polar, middle, and low latitudes, *J. Geophys. Res.*, 99, in press, 1994.
- 564 Helmer, M., and J. M. C. Plane, Experimental and theoretical study of the reaction $\text{Fe} + \text{O}_2 + \text{N}_2 \rightarrow \text{FeO}_2 + \text{N}_2$, *J. Chem. Soc. Faraday Trans.*, 90, 395-401, 1994.
- 565 Batista, P. P., B. R. Clemesha, and D. M. Simonich, Horizontal structures in sporadic sodium layers at 23°S, *Geophys. Res. Lett.*, 18, 1027-1030, 1991.

- 566 Beatty, T. J., C. A. Hostetler, and C. S. Gardner, Lidar observations of gravity waves and their spectra near the mesopause and stratopause at Arecibo, *J. Atmos. Sci.*, 49, 477-496, 1992.
- 567 Senft, D. C., and C. S. Gardner, Seasonal variability of gravity wave activity and spectra in the mesopause region at Urbana, *J. Geophys. Res.*, 96, 17,229-17,264, 1991.
- 568 Senft, D. C., C. A. Hostetler, and C. S. Gardner, Characteristics of gravity wave activity and spectra in the upper stratosphere and upper mesosphere at Arecibo during early April 1989, *J. Atmos. Terrest. Phys.*, 55, 425-439, 1993.
- 569 Collins, R. L., A. Nomura, and C. S. Gardner, Gravity waves in the upper mesosphere over Antarctica: Lidar observations at the South Pole and Syowa, *J. Geophys. Res.*, 99, 5475-5485, 1994.
- 570 Kwon, K. H., and C. S. Gardner, Airborne sodium lidar measurements of gravity wave intrinsic parameters, *J. Geophys. Res.*, 95, 20,457-20,467, 1990.
- 571 Kwon, K. H., D. C. Senft, and C. S. Gardner, Airborne sodium lidar observations of horizontal and vertical wave number spectra of mesopause density and wind perturbations, *J. Geophys. Res.*, 95, 13,723-13,736, 1990.
- 572 Kwon, K. H., C. S. Gardner, S. K. Avery, and J. P. Avery, Correlative radar and airborne sodium lidar observations of the vertical and horizontal structure of gravity waves near the mesopause, *J. Geophys. Res.*, 95, 13,737-13,748, 1990.
- 573 Hostetler, C. A., C. S. Gardner, R. A. Vincent, and D. Lesicar, Spectra of gravity wave density and wind perturbations observed during ALOHA-90 on the 25 March flight between Maui and Christmas Island, *Geophys. Res. Lett.*, 18, 1325-1328, 1991.
- 574 She, C.-Y., J. R. Yu, J. W. Huang et al., Na temperature lidar measurements of gravity wave perturbations of wind, density and temperature in the mesopause region, *Geophys. Res. Lett.*, 18, 1329-1331, 1991.
- 575 Hostetler, C. A. and C. S. Gardner, Observations of horizontal and vertical wave number spectra of gravity wave motions in the stratosphere and mesosphere over the mid-Pacific, *J. Geophys. Res.*, 99, 1283-1302, 1994.
- 576 Gardner, C. S., Diffusive filtering theory of gravity wave spectra in the atmosphere, *J. Geophys. Res.*, 99, 20,601-20,622, 1994.
- 577 Gardner, C. S., C. A. Hostetler, and S. J. Franke, Gravity wave models for the horizontal wave number spectra of atmospheric velocity and density fluctuations, *J. Geophys. Res.*, 98, 1035-1049, 1993.
- 578 Lintelman, S. A., and C. S. Gardner, Observation and interpretation of the spectra of atmospheric gravity wave perturbations with upward and downward phase progression, *J. Geophys. Res.*, 99, 16,959-16,971, 1994.

- 579 Hecht, J. H., T. J. Kane, R. L. Walterscheid et al., Simultaneous nightglow and Na lidar observations at Arecibo during the AIDA-89 campaign, *J. Atmos. Terrest. Phys.*, 55, 409-423, 1993.
- 580 Clemesha, B. R., D. M. Simonich, H. Takahashi et al., The annual variation of the height of the atmospheric sodium layer at 23°S: Possible evidence for convective transport, *J. Geophys. Res.*, 97, 5981-5985, 1992.
- 581 Takahashi, H., B. R. Clemesha, Y. Sahai et al., Seasonal variations of mesospheric hydrogen and ozone concentrations derived from ground-based airglow and lidar observations, *J. Geophys. Res.*, 97, 5987-5993, 1992.
- 582 Clemesha, B. R., D. M. Simonich, and P. P. Batista, A long-term trend in the height of the atmospheric sodium layer: Possible evidence for global change, *Geophys. Res. Lett.*, 19, 457-460, 1992.
- 583 Fricke, K. H., and U. von Zahn, Mesopause temperature derived from probing the hyperfine structure of the D2 resonance line of sodium by lidar, *J. Atmos. Terr. Phys.*, 47, 499-512, 1985.
- 584 She, C.-Y., R. E. Bills, H. Latifi et al., Two-frequency lidar technique for mesospheric Na temperature measurement, *Geophys. Res. Lett.*, 17, 929-932, 1990.
- 585 She, C.-Y., J. R. Yu, H. Latifi, and R. E. Bills, High-spectral-resolution fluorescence light detection and ranging for mesospheric sodium temperature measurements, *Appl. Opt.*, 31, 2095-2106, 1992.
- 586 Bills, R. E., C. S. Gardner, and C.-Y. She, Narrowband lidar technique for sodium temperature and Doppler wind observations of the upper atmosphere, *Opt. Eng.*, 30, 13-21, 1991.
- 587 Bills, R. E., C. S. Gardner, and S. J. Franke, Na Doppler/temperature lidar: Initial mesopause region observations and comparison with the Urbana medium frequency radar, *J. Geophys. Res.*, 96, 22,701-22,707, 1991.
- 588 Yu, J. R., H. W. Huang, H. Latifi, and C.-Y. She, Initial spring temperature profiles of the mesopause region over Fort Collins, CO, measured by the Colorado State Na temperature lidar, *Appl. Phys. B*, 55, 149-153, 1992.
- 589 Yu, J. R., H. Latifi, C.-Y. She et al., Simultaneous lidar and airglow temperature measurements in the mesopause region, *Geophys. Res. Lett.*, 18, 1361-1363, 1991.
- 590 Bills, R. E., and C. S. Gardner, Lidar observations of the mesopause region temperature structure at Urbana, *J. Geophys. Res.*, 98, 1011-1021, 1993.
- 591 She, C.-Y., J. R. Yu, and H. Chen, Observed thermal structure of a midlatitude mesopause, *Geophys. Res. Lett.*, 20, 567-570, 1993.
- 592 Yu, J. R., and C.-Y. She, Lidar-observed temperature structures and gravity-wave

perturbations of the mesopause region in the springs of 1990-1992 over Fort Collins, CO, *Appl. Phys. B*, 57, 231-238, 1993.

593 Senft, D. C., G. C. Papen, C. S. Gardner et al., Seasonal variations of the thermal structure of the mesopause region at Urbana, IL (40° N, 88° W) and Ft. Collins, CO (41° N, 105° W), *Geophys. Res. Lett.*, 21, 821-824, 1994.

594 She, C.-Y. and J. R. Yu, Simultaneous three-frequency Na lidar measurements of radial wind and temperature in the mesopause region, *Geophys. Res. Lett.*, 21, 1771-1774, 1994.

595 Lübken, F.-J, and R. von Zahn, Thermal structure of the mesopause region at polar latitudes, *J. Geophys. Res.*, 96, 20,841-20,857, 1991.

596 von der Gathen, P., Saturation effects in Na lidar temperature measurements, *J. Geophys. Res.*, 96, 3679-3690, 1991.

597 Clemesha, B. R., D. M. Simonich, H. Takahashi, and S. M. L. Melo, A simultaneous measurement of the vertical profiles of sodium nightglow and atomic sodium density in the upper atmosphere, *Geophys. Res. Lett.*, 20, 1347-1350, 1993.

598 Granier, C., J. P. Jegou, and G. Mégie, Iron atoms and metallic species in the Earth's upper atmosphere, *Geophys. Res. Lett.*, 16, 243-246, 1989.

599 Alpers, M., J. Höffner, and U. von Zahn, Iron atom densities in the polar mesosphere from lidar observations, *Geophys. Res. Lett.*, 17, 2345-2348, 1990.

600 Kane, T. J., R. H. Mui, and C. S. Gardner, Evidence for substantial seasonal variations in the structure of the mesospheric Fe layer, *Geophys. Res. Lett.*, 19, 405-408, 1992.

601 Kane, T. J., and C. S. Gardner, Lidar observations of the meteoric deposition of mesospheric metals, *Science*, 259, 1297-1300, 1993.

602 Gardner, C. S., T. J. Kane, D. C. Senft et al., Simultaneous observations of sporadic E, Na, Fe, and Ca⁺ layers at Urbana, Illinois: Three case studies, *J. Geophys. Res.*, 98, 16,865-16,873, 1993.

603 Granier, C., J. P. Jegou, and G. Mégie, Atomic and ionic calcium in the Earth's upper atmosphere, *J. Geophys. Res.*, 94, 9917-9924, 1989.

604 Jegou, J. P., C. Granier, M. L. Chanin, and G. Mégie, General theory of the alkali metals present in the Earth's upper atmosphere, 1, Flux model: Chemical and dynamical processes, *Ann. Geophys.*, 3, 163-176, 1985.

605 Mégie, G., F. Bos, J. E. Blamont, and M. L. Chanin, Simultaneous nighttime lidar measurements of atmospheric sodium and potassium, *Planet. Space Sci.*, 26, 27-35, 1978.

51. SODIUM GUIDE STAR

- 606 Thompson, L. A., and C. S. Gardner, Experiments on laser guide stars at Mauna Kea Observatory for adaptive imaging in astronomy, *Nature*, 328, 229-231, 1987.
- 607 Gardner, C. S., B. M. Welsh, and L. A. Thompson, Design and performance analysis of adaptive optical telescopes using laser guide stars, *Proc. IEEE*, 78, 1721-1743, 1990.
- 608 Jeys, T. H., A. A. Brailove, and A. Mooradian, Sum frequency generation of sodium resonance radiation, *Appl. Opt.*, 28, 2588-2591, 1989.
- 609 Jeys, T. H., Development of a mesospheric sodium laser beacon for atmospheric adaptive optics, *Lincoln Lab. J.*, 4, 133-150, 1991.
- 610 Jelonek, M. P., R. Q. Fugate, W. J. Lange et al., Characterization of artificial guidestars generated in the mesospheric sodium layer with a sum-frequency laser, *J. Opt. Soc. Am. A*, 11, 806-812, 1994.
- 611 Davis, J., Lasers create guide stars, monitor atmosphere, *Laser Focus World*, 29(2), 111-115, Feb. 1993.
- 612 Fugate, R. Q., Laser beacon in adaptive optics, *Opt. Photonics News*, 4(6), 14-19, 1993.
- 613 Gardner, C. S., B. M. Welsh, and L. A. Thompson, Design and performance analysis of adaptive optical telescopes using laser guide stars, *Proc. IEEE*, 78, 1721-1743, 1990.
- 614 Jeys, T. H., R. M. Heinrichs, K. F. Wall et al., Observation of optical pumping of mesospheric sodium, *Opt. Lett.*, 17, 1143-1145, 1992.
- 615 Bass, I. L., R. E. Bonanno, R. P. Hackel, and P. R. Hammond, High-average-power dye laser at Lawrence Livermore National Laboratory, *Appl. Opt.*, 31, 6993-7011, 1992.
- 616 Hubin, N., and L. Noethe, Active optics, adaptive optics, and laser guide stars, *Science*, 262, 1390-1394, 1993.
- 617 Avicola, K., J. M. Brase, J. R. Morris et al., Sodium-layer laser-guide-star experimental results, *J. Opt. Soc. Am. A*, 11, 825-831, 1994.
- 618 Max, C. E., K. Avicola, J. M. Brase et al., Design, layout, and early results of a feasibility experiment for sodium-layer laser-guide-star adaptive optics, *J. Opt. Soc. Am. A*, 11, 813-824, 1994.
- 619 Morris, J. R., Efficient excitation of mesospheric sodium laser guide star by intermediate-duration pulses, *J. Opt. Soc. Am. A*, 11, 832-845, 1994.
- 620 Sandler, D. G., L. Cuellar, M. Lefebvre et al., Shearing interferometry for laser-guide-star atmospheric correction at large D/r_0 , *J. Opt. Soc. Am. A*, 11, 858-873, 1994.

52. WINDS MEASURED USING AEROSOL DISTRIBUTIONS

- 621 Eloranta, E. W., J. King, and J. M. Weinman, The determination of wind speeds in the boundary layer by monostatic lidar, *J. Appl. Meteorol.*, 14, 1485-1489, 1975.
- 622 Sasano, Y., H. Hirohara, T. Yamasaki et al., Horizontal wind vector determination from the displacement of aerosol distribution patterns observed by a scanning lidar, *J. Appl. Meteorol.*, 21, 1516-1523, 1982.
- 623 Hooper, W. P., and E. W. Eloranta, Lidar measurements of wind in the planetary boundary layer: The method, accuracy and results from joint measurements with radiosonde and kytoon, *J. Appl. Meteorol.*, 21, 990-1001, 1986.
- 624 Matsui, I., N. Sugimoto, Y. Sasano, and H. Shimizu, Wind profiling by a conical-scanning time-correlation lidar, *Jpn. J. Appl. Phys.*, 29, 441-444, 1990.
- 625 Eloranta, E. W., and D. K. Forrest, Volume-imaging lidar observations on the convective structure surrounding the flight path of a flux-measuring aircraft, *J. Geophys. Res.*, 97, 18,383-18,393, 1992.
- 626 Schols, J. L., and E. W. Eloranta, Calculation of area-averaged vertical profiles of the horizontal wind velocity from volume-imaging lidar data, *J. Geophys. Res.*, 97, 18,395-18,407, 1992.
- 627 Eloranta, E. W., A lidar system designed for three-dimensional time resolved mapping of atmospheric structure, *Proceedings, 14th International Laser Radar Conf., San Candido, Italy*, pp. 150-152, 1988. Spons?
- 628 Pal, S. R., I. Pribluda, and A. I. Carswell, Lidar measurements of cloud-tracked winds, *J. Appl. Meteorol.*, 33, 35-44, 1994.
- 629 Bennett, M., S. Sutton, and D. R. C. Gardiner, Measurements of wind speed and plume rise with a rapid-scanning lidar, *Atmos. Environ.*, 26A, 1675-1688, 1992a.
- 630 Bennett, M., S. Sutton, and D. R. C. Gardiner, A survey of lidar measurements of buoyant plume rise and dispersion at 5 power stations, *Atmos. Environ.*, 26A, 3249-3263, 1992b.
- 631 Sutton, S., and M. Bennett, Measurement of wind speed using a rapid-scanning lidar, *Int. J. Remote Sens.*, 15, 375-380, 1994.

53. DOPPLER LIDAR WIND MEASUREMENTS: CO₂ LIDAR

- 632 Bilbro, J. W., G. H. Fichtl, D. E. Fitzjarrald, and M. Krause, Airborne Doppler lidar wind field measurements, *Bull. Am. Meteorol. Soc.*, 65, 348-359, 1984.
- 633 Bilbro, J. W., C. A. Dimarzio, D. E. Fitzjarrald et al., Airborne Doppler lidar measurements, *Appl. Opt.*, 25, 3952-3960, 1986.
- 634 McCaul, Jr., E. W., H. B. Bluestein, and R. J. Doviak, *J. Atmos. Ocean. Technol.*, 4,

479-497, 1987.

635 Menzies, R. T., and R. M. Hardesty, Coherent Doppler lidar for measurements of wind fields, *Proc. IEEE*, 77, 449-462, 1989.

636 Post, M. J., and R. E. Cupp, Optimizing a pulsed Doppler lidar, *Appl. Opt.*, 29, 4145-4158, 1990.

637 Hardesty, R. M., M. J. Post, and R. M. Banta, Observing atmospheric winds with a Doppler lidar, *Opt. Photonics News*, 2(10), 12-15, 1991.

638 Clark, T. L., W. D. Hall, and R. M. Banta, Two-dimensional and three-dimensional simulations of the 9 January 1989 severe Boulder windstorm - Comparison with observations, *J. Atmos. Sci.*, 51, 2317-2343, 1994.

639 Gordienko, V. M., A. A. Kormakov, L. A. Kosovsky et al., Coherent CO₂ lidars for measuring wind velocity and atmospheric turbulence, *Opt. Eng.*, 33, 3206-3213, 1994.

640 Intrieri, J. M., Density currents in the atmosphere as observed by the NOAA Doppler lidar, *Proc. SPIE*, 1062, 249-256, 1989.

641 Intrieri, J. M., A. J. Bedard, Jr., and R. M. Hardesty, Details of colliding thunderstorm outflows as observed by Doppler lidar, *J. Atmos. Sci.*, 47, 1081-1098, 1990.

642 Banta, R. M., L. D. Oliver, E. T. Holloway et al., Smoke column observations from two forest fires using Doppler lidar and Doppler radar, *J. Appl. Meteorol.*, 31, 1328-1349, 1992.

643 Banta, R. M., L. D. Oliver, and D. H. Levinson, Evolution of the Monterey Bay sea-breeze layer as observed by pulsed Doppler lidar, *J. Atmos. Sci.*, 50, 3959-3982, 1993.

644 Nash, J., Upper wind observing systems used for meteorological operations, *Ann. Geophysicae - Atmospheres, Hydrospheres and Space Sciences*, 12, 691-710, 1994.

645 Keller, L. M., and D. R. Johnson, An atmospheric energy analysis of the impact of satellite lidar winds and TIROS temperatures in global simulations, *Mon. Wea. Rev.*, 120, 2831-2852, 1992.

646 Rohaly, G. D., and T. N. Krishnamurti, An observing system simulation experiment for the Laser Atmospheric Wind Sounder (LAWS), *J. Appl. Meteorol.*, 32, 1453-1471, 1993.

647 Hoffman, R. N., C. Grassotti, R. G. Isaacs et al., Assessment of the impact of simulated satellite lidar wind and retrieved 183 GHz water vapor observations on a global data assimilation system, *Mon. Weath. Rev.*, 118, 2513-2542, 1990.

648 Rothermel, J., R. M. Hardesty, and R. T. Menzies, Multi-center airborne coherent atmospheric wind sensor, in *Tech. Digest, Optical Remote Sensing of the Atmosphere*, Salt Lake City, Utah, March 8-12, 1993, spons. by OSA, pp. 247-249.

- 649 Petheram, J. C., J. F. Shanley, J. T. Sroga et al., The laser atmospheric wind sounder-preliminary design, Proc. SPIE, 1062, 274-286, 1989.
- 650 Eberhard, W. L., R. E. Cupp, and K. R. Healy, Doppler lidar measurements of profiles of turbulence and momentum flux, J. Atmos. Ocean. Technol., 6, 809-819, 1989.
- 651 Gal-Chen, T., M. Xu, and W. L. Eberhard, Estimations of atmospheric boundary layer fluxes and other turbulent parameters from Doppler lidar data, J. Geophys. Res., 97, 18,409-18,423, 1992.

54. DOPPLER LIDAR WIND MEASUREMENTS: 1-2 MICRON LASERS

- 652 Kane, T. J., W. J. Kozlovsky, R. L. Byer, and C. E. Byvik, Coherent laser radar at 1.06 μm using Nd:YAG lasers, Opt. Lett., 12, 239-241, 1987.
- 653 Kavaya, M. J., S. W. Henderson, J. R. Magee et al., Remote wind profiling with a solid-state Nd:YAG coherent lidar system, Opt. Lett., 14, 776-778, 1989.
- 654 Hawley, J. G., R. Targ, S. W. Henderson et al., Coherent launch-site atmospheric wind sounder (CLAWS): Theory and experiment, Appl. Opt., 32, 4557-4568, 1993.
- 655 Menzies, R. T., Doppler lidar atmospheric wind sensors: A comparative performance evaluation for global measurement applications from earth orbit, Appl. Opt., 25, 2546-2553, 1986.
- 656 Storm, M. E., Holmium YLF amplifier performance and the prospects for multi-Joule energies using diode-laser pumping, IEEE J. Quant. Elect., 29, 440-451, 1993.
- 657 Henderson, S. W., R. M. Huffaker, M. J. Kavaya et al., Pulsed coherent solid-state 1.06- μm and 2.1- μm laser radar systems for remote velocity measurement, Proc. SPIE, 1222, 118-129, 1990.
- 658 Henderson, S. W., C. P. Hale, J. R. Magee et al., Eye-safe coherent laser radar system at 2.1 μm using Tm,Ho:YAG lasers, Opt. Lett., 16, 773-775, 1991.
- 659 Henderson, S. W., P. J. M. Suni, C. P. Hale et al., Coherent laser radar at 2 μm using solid-state lasers, IEEE Trans. Geosci. Remote Sens., 31, 4-14, 1993.
- 660 McGuckin, B. T., R. T. Menzies, and H. Hemmati, Efficient energy extraction from a diode-pumped Q-switched Tm,Ho:YLiF₄ laser, Appl. Phys. Lett., 59, 2926-2928, 1991.
- 661 Jani, M. G., N. P. Barnes, K. E. Murray, and G. E. Lockard, Long-pulse-length 2- μm diode-pumped YLiF₄ laser, Opt. Lett., 18, 1636-1638, 1993.
- 662 Srivastava, V., M. A. Jarzembki, and D. A. Bowdle, Comparison of calculated aerosol backscatter at 9.1- and 2.1- μm wavelengths, Appl. Opt., 31, 1904-1906, 1992.
- 663 Fetzer, G. J., and M. J. Post, A low cost cw CO₂ lidar system for low-level wind shear detection, Proc. SPIE, 1222, 130-141, 1990.

- 664 Targ, R., M. J., Kavaya, R. M. Huffaker, and R. L. Bowles, Coherent lidar airborne windshear sensor: Performance evaluation, *Appl. Opt.*, 30, 2013-2026, 1991.
- 665 Kopp, F., Doppler lidar investigation of wake/vortex transport between closely spaced parallel runways, *AIAA J.*, 32, 805-810, 1994.
- 666 Frehlich, R. G., and M. J. Kavaya, Coherent laser radar performance for general atmospheric refractive turbulence, *Appl. Opt.*, 30, 5325-5352, 1991.
- 667 Chan, K. P., and D. K. Killinger, Useful receiver telescope diameter of ground-based and airborne 1-, 2-, and 10- μm coherent lidars in the presence of refractive turbulence, *Appl. Opt.*, 31, 4915-4917, 1992.
- 668 Chan, K. P., and D. K. Killinger, Coherent 1- μm lidar measurements of atmospheric-turbulence-induced spatial decorrelation using a multielement heterodyne detector array, *Appl. Opt.*, 31, 1505-1510, 1992.
- 669 Gauthier, P., P. Courtier, and P. Moll, Assimilation of simulated wind lidar data with a Kalman filter, *Mon. Wea. Rev.*, 121, 1803-1820, 1993.
- 670 Chanin, M. L., A. Granier, A. Hauchecorne, and J. Porteneuve, A Doppler lidar for measuring winds in the middle atmosphere, *Geophys. Res. Lett.*, 16, 1273-1276, 1989.
- 671 Garnier, A., and M. L. Chanin, Description of a Doppler Rayleigh lidar for measuring winds in the middle atmosphere, *Appl. Phys. B*, 55, 35-40, 1992.
- 672 Tepley, C. A., The Doppler Rayleigh lidar system at Arecibo, *IEEE Trans. Geosci. Remote Sens.*, 31, 36-47, 1993.

55. WIND MEASUREMENTS WITH INCOHERENT LIDAR

- 673 Abreu, V. J., J. E. Barnes, and P. B. Hays, Observation of winds with an incoherent lidar detector, *Appl. Opt.*, 31, 4509-4514, 1992.
- 674 Rees, D., and I. S. McDermid, Doppler lidar atmospheric wind sensor: Evaluation of a 355 nm incoherent lidar, *Appl. Opt.*, 29, 4133-4144, 1990.
- 675 Bloom, S. H., R. Kremer, P. A. Searcy et al., Long-range noncoherent laser Doppler velocimeter, *Opt. Lett.*, 16, 1794-1796, 1991.
- 676 Korb, C. L., B. M. Gentry, and C. Y. Weng, Edge technique: Theory and application to the measurement of atmospheric wind, *Appl. Opt.*, 31, 4202-4213, 1992.
- 677 Gentry, B. M., and C. L. Korb, Edge technique for high-accuracy Doppler velocimetry, *Appl. Opt.*, 33, 5770-5777, 1994.

56. LIDAR FOR FLUORESCENCE FROM TERRESTRIAL VEGETATION

- 678 Rosen, D. L., and J. B. Gillespie, Fluorescence lidar detection with shot noise and sky radiance, *Appl. Opt.*, 31, 4214-4223, 1992.
- 679 Chappelle, E. W., F. J. Wood, Jr., J. E. McMurtrey, III, and W. W. Newcomb, Laser-induced fluorescence of green plants. 1: A technique for remote detection of plant stress and species differentiation, *Appl. Opt.*, 23, 134-138, 1984.
- 680 Chappelle, E. W., and D. L. Williams, Laser-induced fluorescence (LIF) from plant foliage, *IEEE Trans. Geosci. Remote Sens.*, GE-25, 726-736, 1987.
- 681 Chappelle, E. W., and J. E. McMurtrey, III, Early remote laser detection of vegetation damage caused by certain environmental stress factors, *Proc. SPIE*, 1062, 106-116, 1989.
- 682 Chappelle, E. W., J. E. McMurtrey, III, and M. S. Kim, Identification of the pigment responsible for the blue fluorescence band in the laser induced fluorescence (LIF) spectra of green plants, and the potential use of this band in remotely estimating rates of photosynthesis, *Remote Sens. Environ.*, 36, 213-218, 1991.
- 683 Broglia, M., Blue-green laser-induced fluorescence from intact leaves: actinic light sensitivity and subcellular origins, *Appl. Opt.*, 32, 334-338, 1993.
- 684 Bongi, G., A. Palliotti, P. Rocchi et al., Spectral characteristics and a possible topological assignment of blue green fluorescence excited by UV laser on leaves of unrelated species, *Remote Sens. Environ.*, 47, 55-64, 1994.
- 685 Cecchi, G., P. Mazzinghi, L. Pantani et al., Remote sensing of chlorophyll a fluorescence of vegetation canopies: 1. Near and far field measurement techniques, *Remote Sens. Environ.*, 47, 18-28, 1994.
- 686 Chappelle, E. W., and H. Lichtenthaler, Fluorescence measurements of vegetation, *Remote Sens. Environ.*, 47, 1, 1994.
- 687 Günther, K. P., H.-G. Dahn, and W. Lüdeker, Remote sensing vegetation status by laser-induced fluorescence, *Remote Sens. Environ.*, 47, 10-17, 1994.
- 688 Kharuk, V. I., V. N. Morgun, B. N. Rock, and D. L. Williams, Chlorophyll fluorescence and delayed fluorescence as potential tools in remote sensing: A reflection of some aspects of problems in comparative analysis, *Remote Sens. Environ.*, 47, 98-105, 1994.
- 689 Stober, F., M. Lang, and H. K. Lichtenthaler, Blue, green, and red fluorescence emission signatures of green, etiolated, and white leaves, *Remote Sens. Environ.*, 47, 65-71, 1994.
- 690 Subhash, N. and C. N. Mohanan, Laser-induced red chlorophyll fluorescence signatures as nutrient stress indicator in rice plants, *Remote Sens. Environ.*, 47, 45-50, 1994.
- 691 Valentini, R., Cecchi, G., P. Mazzinghi et al., Remote sensing of chlorophyll a

fluorescence of vegetation canopies: 2. Physiological significance of fluorescence signal in response to environmental stresses, *Remote Sens. Environ.*, 47, 29-35, 1994.

57. LIDAR FOR BODIES OF WATER: FLUORESCENCE AND BACKSCATTER

- 692 Bunkin, F. V., and K. I. Volyak, eds., *Oceanic Remote Sensing*, Nova Science, Commack, N.Y., 1987.
- 693 Hoge, F. E., Oceanic and terrestrial lidar measurements, in *Laser Remote Chemical Analysis*, R. M. Measures, ed., J. Wiley and Sons, New York, 1988, pp. 409-503.
- 694 Pantani, L., and G. Cecchi, Fluorescence lidars in environmental remote sensing, in *Optoelectronics for Environmental Science*, S. Martellucci and A. N. Chester, eds., Plenum Press, N.Y., 1990, pp. 131-148.
- 695 Reuter, R., Hydrographic applications of airborne laser spectroscopy, in *Optoelectronics for Environmental Science*, S. Martellucci and A. N. Chester, eds., Plenum Press, N.Y., 1990, pp. 149-160.
- 696 Grüner, K., R. Reuter, and H. Smid, A new sensor system for airborne measurements of maritime pollution and of hydrographic parameters, *GeoJournal*, 24, 103-117, 1991.
- 697 Wadsworth, A., W. J. Looyen, R. Reuter, and M. Petit, Aircraft experiments with visible and infrared sensors, *Int. J. Remote Sens.*, 13, 1175-1199, 1992.
- 698 Lutomirski, R. F., Lidar remote sensing of ocean waters, *Proc. SPIE*, 2222, 12-19, 1994.
- 699 Bartsch, B., T. Braeske, and R. Reuter, Oceanic lidar operating at high altitudes: A computer model study, *EARSel Advances in Remote Sensing*, 1, 79-84, 1992.
- 700 Northam, G. B., M. A. Guerra, M. E. Mack et al., High repetition rate frequency-doubled Nd:YAG laser for airborne bathymetry, *Appl. Opt.*, 20, 968-971, 1981.
- 701 Guenther, G. C., Airborne laser hydrography to chart shallow coastal waters, *Sea Technol.*, pp. 55, 57-59, March 1989.
- 702 Penny, M. F., B. Billard, and R. H. Abbot, LADS--the Australian laser airborne depth sounder, *Int. J. Remote Sens.*, 10, 1463-1479, 1989.
- 703 Lillycrop, J., and J. R. Banic, Advancements in the U.S. Army Corps of Engineers hydrographic survey capabilities: The SHOALS system, *Marine Geodesy*, 15, 177-185, 1992.
- 704 Bristow, M., D. Nielsen, D. Bundy, and F. Furtek, Use of water-Raman emission to correct airborne laser fluorosensor data for effects of water optical attenuation, *Appl. Opt.*, 20, 2889-2906, 1981.

- 705 Dirks, R. W. J., and D. Spitzer, Laser remote sensing of aquatic environment: First- and second-order scattering model, *Appl. Opt.*, 30, 443-452, 1991.
- 706 Hoge, F. E., C. W. Wright, W. B. Krabill et al., Airborne lidar detection of subsurface oceanic scattering layers, *Appl. Opt.*, 27, 3969-3977, 1988.
- 707 Hoge, F. E., and R. N. Swift, The influence of chlorophyll pigment upon upwelling spectral radiances from the North Atlantic Ocean: An active-passive correlation spectroscopy study, *Deep-Sea Research II*, 40, 265-277, 1993.
- 708 Hoge, F. E., and R. N. Swift, Active-passive correlation spectroscopy: A new technique for identifying ocean color algorithm spectral regions, *Appl. Opt.*, 25, 2571-2583, 1986.
- 709 Hoge, F. E., A. Vodacek, and N. V. Blough, Inherent optical properties of the ocean: Retrieval of the absorption coefficient of chromophoric dissolved organic matter from fluorescence measurements, *Limnol. Oceanogr.*, 38, 1394-1402, 1993.
- 710 Hoge, F. E., R. N. Swift, J. K. Yungel, and A. Vodacek, Fluorescence of dissolved organic matter: A comparison of North Pacific and North Atlantic Oceans during April 1991, *J. Geophys. Res.*, 98, 22,779-22,787, 1993.
- 711 Hoge, F. E., and R. N. Swift, Photosynthetic accessory pigments: Evidence for the influence of phycoerythrin on the submarine light field, *Remote Sens. Environ.*, 34, 19-35, 1990.
- 712 Babichenko, S., L. Poryvkina, V. Arikese et al., Remote sensing of phytoplankton using laser-induced fluorescence, *Remote Sens. Environ.*, 45, 43-50, 1993.
- 713 Bunin, D. K., M. Yu. Gorbunov, D. V. Klimov et al., Remote laser monitoring of phytoplankton and organic impurities along the Russian coast of the Black Sea, *Izv., Atmos. Ocean. Phys.*, 29, 122-129, 1993.
- 714 Sathyendranath, S., F. E. Hoge, T. Platt, and R. N. Swift, Detection of phytoplankton pigments from ocean color: improved algorithms, *Appl. Opt.*, 33, 1081-1089, 1994.
- 715 Hengstermann, T., and R. Reuter, Laser remote sensing of pollution of the sea: A quantitative approach, *EARSel Advances in Remote Sensing*, 1, 52-60, 1992.
- 716 Hengstermann, T., K. D. Loquay, R. Reuter et al., A laser fluorosensor for airborne measurement of maritime pollution and of hydrographic parameters, *EARSel Adv. Remote Sens.*, 1, 85-90, 1992.
- 717 Dudelzak, A. E., S. M. Babichenko, L. V. Poryvkina, and K. J. Saar, Total luminescent spectroscopy for remote laser diagnostics of natural water conditions, *Appl. Opt.*, 30, 453-458, 1991.
- 718 Hengstermann, T., and R. Reuter, Lidar fluorosensing of mineral oil spills on the sea surface, *Appl. Opt.*, 29, 3218-3227, 1990.

719 Reuter, R., D. Diebel, and T. Hengstermann, Oceanographic laser remote sensing: Measurement of hydrographic fronts in the German Bight and in the Northern Adriatic Sea, *Int. J. Remote Sens.*, 14, 823-848, 1993.

720 Bartsch, B., T. Braeske, and R. Reuter, Oceanic lidar: Radiative transfer in the atmosphere at operating altitudes from 100 m to 100 km, *Appl. Opt.*, 32, 6732-6740, 1993.

721 Leonard, D. A., B. Caputo, and F. E. Hoge, Remote sensing of subsurface water temperature by Raman scattering, *Appl. Opt.*, 18, 1732-1745, 1979.

722 Leonard, D. A., and H. E. Sweeney, A comparison of stimulated and spontaneous laser radar methods for the remote sensing of ocean physical properties, *Proc. SPIE*, 1302, 568-582, 1990.

58. LIDAR FOR FINDING SCHOOLS OF FISH

723 Krekova, M. M., G. M. Krekov, I. V. Samokhvalov, and V. S. Shamanaev, Numerical evaluation of the possibilities of remote laser sensing of fish schools, *Appl. Opt.*, 33, 5715-5720, 1994.

724 Kronman, M., Lidar: Light detecting and ranging, laser technology could revolutionize aerial fish finding, *National Fisherman*, pp. 40-42, April 1992.